

Thunderbolt/USB-C Dock/Hub/Adapter
External Storage/Charger/Power Adapter

The logo for WINSTARS, featuring the word "WINSTARS" in a bold, stylized, black font. The letter "W" is particularly large and stylized, and the letter "I" is replaced by a red dot.

PRODUCT CATALOG 2025Q1





E-catalog Download



www.winstars.com

Address: 17th-20th Floor, Building 3C, Huagiang Creative Industry Park
Guangming New District, Shenzhen (Shenzhen Headquarter)
Building 4, Dataisong Industrial Park, Dalang Street, Longhua District
Shenzhen (Longhua Factory)
Zone 6, Liantou Holding Industrial Park, Longnan Economic and Technological
Development Zone, Longnan City, Jiangxi Province (Jiangxi Plant)
Room 11, 10/F, KoWSoon Bay Industrial Center, 15 Wang Hoi Road, KoWSoon Bay,
Hong Kong (Hong Kong Headquarters)

Tel: (86) 755 8882 3721

Fax: (86) 755 8302 2207

Email: support@winstars.com

About Winstars

Winstars is committed to offering the best products and services to meet each of its customer's unique needs. It guides the company towards its long-term goals, which has contributed to its success as one of the fastest growing brands globally. Whether it is WiFi MESH Router, Outdoor AC/AP, Notebook Docking Station, Winstars designs all its products to be user-friendly. The company does not compromise when it comes to user experience. Winstars's products come with innovative and user-friendly features, delivering the best experience for the end-user.

In 2016, Winstars introduced robust TouchLink password free function in its WiFi Router and AP devices. It unveiled an option-in easy password management feature for all the line up. In 2019, Winstars introduced the "Tubro" function to its WiFi products which boost router range coverage when needed.

Winstars designs products that address the unique needs of its customers. Since its founding, Winstars has pushed the standard in product design, usability and functionality. Winstars's hardware and software solutions cater to various market segments, including education, business and home users. In the past few years, Winstars has increased its retail presence with innovative products like Outdoor AP solutions for home owners, and access controller plus networking devices for small and medium business.

Vision of Winstars

Winstars's vision guides the company's decision-making processes, strategic management, and operations. It ensures that each decision takes the company closer to realizing its mission and goals. To make the best products in the market and to leave the customers better value and experiences than they found us.

Strength of Winstars

From the first internal card reader, HDD storage docking, USB Giga LANI card, WiFi range extender in its true sense, etc, Winstars delivers high-quality products to the market. The company seeks to advance its leadership in product design and original development by pushing for novel innovations. In 2024 alone, Winstars introduced 65 industry-leading new products to the market and awarded with 11 design awards including Reddot, IF Design, Idea, and Good Design, as well as 8 honors such as Innovation Laboratory of the State to credit Winstars research and development effort and achievements.

Office & Factories



Winstars Capability



Docking Station Sales
in 2022



Five 100%
Owned Factories



Wireless Networking
Expert



Professional AV
Solutions





Energy & Charging
Devices



Storage Devices

Testimony of Honor



Design Awards



reddot winner 2024



reddot winner 2024



reddot winner 2024



reddot winner 2024



reddot winner 2024



reddot winner 2024

CONTENTS

01 USB Docking Station

Thunderbolt 5/4/3 Dock	1
USB 4 Dock/Enclosure	8
USB-C Universal Dock	8
Ergonomic Dock	13
Wireless Dock	16
USB-C SMI Universal Dock	17
USB-C MST Dock	19
Ergonomic Dock	24
USB-C Steam Deck Dock	24
USB-C SST Mini Dock	25

02 USB Hub & Adapter

USB Hub	28
USB Display Adapter	31
USB Ethernet Adapter	34
USB Network Print Server	35
USB KVM Switch	35
Video Capture Card	36

03 Storage & Peripherals

NVMe SSD	37
USB SSD Enclosure	38
HDD/SSD Adapter	40
HDD/SSD Enclosure	40
HDD/SSD Storage Dock	41
NAS Storage	42

04 Power & Charging Devices

GaN Charger	44
Power Adapter	45
Wireless Charger	47
Special Purpose Power Adapter	49

Thunderbolt™ 5

Triple Display Dock with SSD Enclosure, 140W & 30W Charging

Based on Intel Thunderbolt 5 solution / SSD Enclosure / Driverless, Plug & Play

80/120
Gbps

140W

3x 4K
144Hz

30W

1x 8K
60Hz

2.5G

SD
TF

SSD

- PID: WS-UTD59**
- 1x Thunderbolt 5 Port to Host
 - 3x Thunderbolt 5 Ports (downstream)
 - 1x NVMe SSD Enclosure (PCIe 4.0x4, 2280 SSD)
 - 3x USB-A (10G)
 - Over 6000MB/s sequential read/write speed
 - 1x SD/Micro SD 4.0 Card Slot
 - 1x 2.5 Gigabit Ethernet
 - 1x 3.5mm Combo Audio
 - 1x DC IN 48V
 - 1x Power ON/OFF Switch



Thunderbolt™ 5

Graphics Card Docking Station

80/120
Gbps

140W

1x 8K
60Hz

5G

3x 4K
144Hz

- PID: WS-GTD01**
- 1x Thunderbolt 5 Port to Host
 - 3x Thunderbolt 5 Ports (downstream)
 - 3x USB-A (10G)
 - 1x 5 Gigabit Ethernet
 - 1x PCI-E x 16
 - External Graphic Card Dock for Graphic Upgrading



Thunderbolt™ 5

Tool Free NVMe SSD Enclosure

Based on Intel Thunderbolt 5 solution / Tool Free SSD Enclosure / Driverless, Plug & Play

80
Gbps

SSD


TOOL FREE

- PID: WS-UTE50**
- 1x Thunderbolt 5 Port to Host
 - 1x NVMe SSD Enclosure (PCIe 4.0x4, 2280 SSD)
 - Over 6000MB/s sequential read/write speed



**Thunderbolt™ 4 & USB4****Quad Display Docking Station with 98W Charging**

Certified by Intel / Based on Thunderbolt 4 & DisplayLink solution / Highest Spec. available in global market


**PID: WS-UTD41**

- 1x Thunderbolt 4 Port to Host
- 3x Thunderbolt 4 Ports (downstream)
- 2x DisplayPort 1.2 (4K@60Hz)
- 2x HDMI 2.0 (4K@60Hz)
- 4x USB-A (2x 10G, 2x 5G)
- 1x SD 4.0 Card Slot
- 1x 2.5 Gigabit Ethernet
- 1x 3.5mm Combo Audio
- 1x DC IN 20V
- 1x Power ON/OFF Switch
- 1x Thunderbolt 4 Cable (2.6ft/80cm)



Thunderbolt™ 4 & USB4
Triple Display Docking Station with 98W & 30W Charging


Certified by Intel / Based on Thunderbolt 4 & MST solution / Driverless, Plug & Play


PID: WS-UTD45

1x Thunderbolt 4 Port to Host
1x Thunderbolt 4 Ports (downstream)
2x HDMI 2.0 (4K@60Hz)
1x USB-C (10G, PD 30W)
4x USB-A (2x 10G, 2x 5G)
1x SD/Micro SD 4.0 Card Slot
1x 2.5 Gigabit Ethernet
1x 3.5mm Combo Audio
1x DC IN 20V
1x Power ON/OFF Switch
1x Thunderbolt 4 Cable (2.6ft/80cm)


Thunderbolt™ 4 & USB4
Dual Display Docking Station with 98W & 30W Charging


Certified by Intel / Based on Thunderbolt 4 & MST solution / Driverless, Plug & Play


PID: WS-UTD43

1x Thunderbolt 4 Port to Host
3x Thunderbolt 4 Ports (downstream)
4x USB-A (2x 10G, 2x 5G)
1x SD 4.0 Card Slot
1x 2.5 Gigabit Ethernet
1x 3.5mm Combo Audio
1x DC IN 20V
1x Power ON/OFF Switch
1x Thunderbolt 4 Cable (2.6ft/80cm)


THUNDERBOLT™ 4 & USB4
Hub with Dual Display & 65W Charging & Tool Free SSD Enclosure

Certified by Intel / Based on solution / Driverless, Plug & Play / World's First Thunderbolt 4 Dock with SSD Enclosure


PID: WS-UTE06


1x Thunderbolt 4 Port to Host
2x Thunderbolt 4 Ports (downstream)
1x HDMI 2.1 (8K@60Hz)
3x USB-A (1x 10G, 2x 480Mbps)
1x SSD Enclosure (SATA/NVMe 2280)
1x DC IN 20V
1x Power ON/OFF Switch
1x Thunderbolt 4 Cable (2.6ft/80cm)



Thunderbolt™ 4 & USB4

Hub with Dual DP Display & 85W Charging

Certified by Intel / Based on Thunderbolt 4 solution / Driverless, Plug & Play / Aluminum Alloy Shell with Slim Design



PID: WS-UTD52


1x Thunderbolt 4 Port to Host
 2x DisplayPort 1.4 (8K@60Hz)
 1x USB-C (10G, DP)
 3x USB-A (1x 10G, 2x 5G)
 1x SD 4.0 Card Slot
 1x 2.5 Gigabit Ethernet
 1x 3.5mm Combo Audio
 1x DC IN 20V
 1x Power ON/OFF Switch
 1x Thunderbolt 4 Cable (2.6ft/80cm)



Thunderbolt™ 4 & USB4

Hub with Dual Display & 90W Charging

Certified by Intel / Based on Thunderbolt 4 solution / Driverless, Plug & Play / Aluminum Alloy Shell with Slim Design




PID: WS-UTD49T

1x Thunderbolt 4 Port to Host
 3x Thunderbolt 4 Ports (downstream)
 1x USB-A (10G, 15W)
 1x DC IN 20V
 1x Power ON/OFF Switch
 1x Thunderbolt 4 Cable (2.6ft/80cm)



Optional Accessory

for Thunderbolt™ 4 Docking Station and Hub



Thunderbolt 4 Cable

Certified by Intel

PID	Length	Data Transfer
WS-T4C5P	50cm	40Gbps
WS-T4C7P	70cm	40Gbps
WS-T4C8P	80cm	40Gbps
WS-T4C10P	100cm	40Gbps



Thunderbolt™ 3

Dual Display Docking Station

PID: WS-UTD21, WS-UTD23

Cerfied by Intel
1x 8K@30Hz or 2x 4K@60Hz
65W Power Delivery
10Gbps data transfer
Gigabit Ethernet
Combo Audio
1x Thunderbolt™ 3 Cable (2.3ft/70cm)
DP to HDMI adapter 4K@60Hz (Oponal)



PID: WS-UTD01, WS-UTD03

Cerfied by Intel
2x 4K@60Hz
85W Power Delivery
5Gbps data transfer
1x SD/Micro SD 3.0 Card Slot
Gigabit Ethernet
Combo Audio
1x Thunderbolt™ 3 Cable (2.3ft/70cm)
DP to HDMI adapter 4K@60Hz (Oponal)



PID: WS-UTD04, WS-UTD05

Cerfied by Intel
2x 4K@60Hz
5Gbps data transfer
Gigabit Ethernet
1x Thunderbolt™ 3 Cable (1.6ft/50cm)
DP to HDMI adapter 4K@60Hz (Oponal)



Optional Accessory

for Thunderbolt™ 3 Docking Station and Display Adapter

Thunderbolt 3 Cable
Certified by Intel

PID	Length	Data Transfer
WS-TC5P	50cm	40Gbps
WS-TC7P	70cm	40Gbps
WS-TC10P	100cm	20Gbps
WS-TC18A	180cm	40Gbps



DisplayPort to HDMI Adapter
4K@60Hz



PID: WS-CAH5

THUNDERBOLT™ 3**to Dual Display Adapter****PID: WS-UTA21D**

Certified by Intel
 2x DisplayPort 1.4
 1x 8K@30Hz or 2x 4K@60Hz
 1x Thunderbolt 3 Cable (1.6ft/50cm)
 Driverless, Plug and Play
 DP to HDMI adapter 4K@60Hz (Optional)

**PID: WS-UTA01D, WS-UTA02D**

Certified by Intel
 2x DisplayPort 1.2
 2x 4K@60Hz
 1x Thunderbolt 3 Cable (1.6ft/50cm)
 Driverless, Plug and Play
 DP to HDMI adapter 4K@60Hz (Optional)

**PID: WS-UTA01H, WS-UTA02H**

Certified by Intel
 2x HDMI 2.0
 2x 4K@60Hz
 1x Thunderbolt 3 Cable (1.6ft/50cm)
 Driverless, Plug and Play
 DP to HDMI adapter 4K@60Hz (Optional)

**THUNDERBOLT™ 3****to M.2 NVMe SSD Enclosure**

Certified by Intel / World's First Thunderbolt™ 3 to NVMe SSD Enclosure

PID: WS-UTE01, WS-UTE02

Certified by Intel
 Special design for Apple users
 Up to 40Gbps data transfer
 Compatible with M.2 NVMe SSD 2280
 Support up to 2TB capacity SSD
 Driverless, Plug and Play
 1x Thunderbolt 3 Cable (1.6ft/50cm)
 SSD is not included



Note: Winstars supply high performance 256G/512G/1TB/2TB SSD, pls refer to catalog Page 61.

USB4 40Gbps

to M.2 NVMe Dual SSD Enclosure (Tool Free)

Based on ASMedia USB4 solution / The True USB4 to NVMe SSD Enclosure available in global market

PID: WS-ST405C

Up to 40Gbps data transfer
Compatible with M.2 NVMe SSD 2230/2242/2260/2280
Support up to 4TB capacity SSD
Built-in Fan for Better Heat-dissipation
CNC Aluminum Enclosure
Groove Design with Efficient Heat Dissipation
Continuous High-Speed Performance
Tool free design, friendly to use
Driverless, Plug and Play
1x USB 4 Cable (0.8ft/25cm)
SSD is not included



PID: WS-ST401C

Up to 40Gbps data transfer
Compatible with M.2 NVMe SSD 2230/2242/2260/2280
Support up to 4TB capacity SSD
CNC Aluminum Enclosure
Groove Design with Efficient Heat Dissipation
Continuous High-Speed Performance
Tool free design, friendly to use
Driverless, Plug and Play
1x USB 4 Cable (0.8ft/25cm)
SSD is not included



USB4 40Gbps

to M.2 NVMe Single SSD Enclosure (Tool Free)

Based on ASMedia USB4 solution / The True USB4 to NVMe SSD Enclosure available in global market

PID: WS-ST402C

Up to 40Gbps data transfer
Compatible with M.2 NVMe SSD 2230/2242/2260/2280
Support up to 4TB capacity SSD
CNC Aluminum Enclosure
Groove Design with Efficient Heat Dissipation
Continuous High-Speed Performance
Tool free design, friendly to use
Driverless, Plug and Play
1x USB 4 Cable (0.8ft/25cm)
SSD is not included




Reference Design

for USB4 to NVMe SSD Enclosure



**USB4 40G Type-C****Dual DP Display Docking Station with 85W Charging**

Based on Intel USB4 solution / Driverless, Plug & Play / Aluminum Alloy Shell with Slim Design

**PID: WS-UTD08**


1x USB4 Port to Host
with fixed USB4 cable 25cm
2x DisplayPort 1.4 (8K@60Hz)
1x USB-C (10G)
3x USB-A (1x 10G, 2x 480Mbps)
1x USB-C PD IN 100W



USB4 40G Type-C

Dual HDMI Display Docking Station with 85W Charging

Based on Intel USB4 solution / Driverless, Plug & Play / Aluminum Alloy Shell with Slim Design



PID: WS-UTD10


1x USB4 Port to Host
 with fixed USB4 cable 25cm
 2x HDMI 2.1 (8K@60Hz)
 1x USB-C (10G, 15W)
 3x USB-A (1x 10G, 2x 480Mbps)
 1x USB-C PD IN 100W



USB4 40G Type-C

Dual HDMI Display Docking Station with 85W Charging

Based on Intel USB4 solution / Driverless, Plug & Play / Aluminum Alloy Shell with Slim Design



PID: WS-UMD4403


1x USB4 Port to Host
 with fixed USB4 cable 15cm
 1x HDMI 2.0 (1x 8K@30Hz)
 1x HDMI 2.0 (1x 4K@60Hz)
 1x USB-C (10G)
 6x USB-A (2x 10G, 2x 5G, 1x 480Mbps)
 1x Gigabit Ethernet
 1x USB-C PD IN 100W



USB4 40G Type-C

Dual Displayport Display Docking Station with 140W Charging

Certified by Intel / Based on solution / Driverless, Plug & Play / World's First Thunderbolt 4 Dock with SSD Enclosure



PID: WS-UMD4406

1x USB4 Port to Host
 2x USB-C 40G
 1x USB-C 20G
 2x DP2.1(4K@240Hz)
 1x PD140W
 1x m.2 Enclosure



PID: WS-UMD4407

1 x USB4 Port to Host
 2 x USB-C 40G
 1 x USB-C 20G
 2 x HDMI2.1(4K@144Hz)
 1 x PD140W
 1 x m.2 Enclosure




World's Highest Spec.

DisplayLink Universal Dock

2x 8K@60Hz + 3x 4K@60Hz



DisplayLink DL-7400



PID: WS-UG75PD5-3H2D

- 1x USB-C Port to Host
- 2x DP 1.4
- 3x HDMI 2.0
- 2x USB-C (10G)
- 3x USB-A (10G)
- 1x 2.5 Gigabit Ethernet
- 1x 3.5mm Combo Audio
- 1x DC IN 20V
- 1x Power ON/OFF Switch



WS-UG75PD5-3H2D supports up to 2x 8K@60Hz+3x 4K@60Hz display, works with Thunderbolt 3/4, USB4, USB-C laptops based on Windows, macOS (including M1/M2/M3 Mac), Chromes, etc.

M1/M2/M3 Mac systems support up to four external displays extended or duplicated with the latest DisplayLink drivers.



DisplayLink USB-C /A

Five Display Docking Station with 100W

**PID: WS-UG75PD1-4D2**

4x DP 1.4
1x SD/Micro SD 4.0 (312Mbps)

**PID: WS-UG75PD1-DH2**

2x DP 1.4, 2x HDMI 2.0
1x SD/Micro SD 4.0 (312Mbps)

**PID: WS-UG75PD1-4H2**

4x HDMI 2.0
1x SD/Micro SD 4.0 (312Mbps)

**PID: WS-UG75PD3-4D2**

4x DP 1.4

**PID: WS-UG75PD3-DH2**

2x DP 1.4, 2x HDMI 2.0

**PID: WS-UG75PD3-4H2**

4x HDMI 2.0




DisplayLink PCIe


Quad Display Adapter

PID: WS-UG7500D-GT


4x DisplayPort 1.4
1x PCIe 3.0 x 2
4x 4K@120Hz

**PID: WS-UG7500H-GT**

4x HDMI 2.0
1x PCIe 3.0 x 2
4x 4K@60Hz

**PID: WS-7500DH-GT**


2x DisplayPort 1.4 + 2x HDMI 2.0
1x PCIe 3.0 x 2
4x 4K@60Hz



DisplayLink USB-C /A

Quad Display Universal Docking Station with 100W & 30W Charging

Powered by DisplayLink / Work with USB-C&A laptop / Support Windows & macOS (includes M1 & M2)

**PID: WS-UG69PD8**

1x USB-C Port to Host
4x DisplayPort 1.2 (4K@60Hz)
4x 4HDMI 2.0(4K@60Hz)
1x USB-C (2x 10G, 2x 5G)
1x USB-C (10G, PD 30W)
4x USB-A (2x 10G, 2x 5G)
1x SD/Micro SD 4.0
1x 2.5 Gigabit Ethernet
1x 3.5mm Combo Audio
1x DC IN 20V
1x Power ON/OFF Switch



Works with Thunderbolt 3/4, USB4, USB-C laptops

Compatible with Windows, macOS (including M1/M2/M3 Mac), Chromes, etc.

M1/M2/M3 Mac systems support up to four external displays extended or duplicated with the latest DisplayLink drivers.

DisplayLink USB-C /A

Triple Display Universal Docking Station with PD Charging

PID: WS-UG69PD25

1x USB-C Port to Host
2x DP 1.2 + 3x HDMI 2.0
1x 4K@60Hz or 3x 4K@60Hz
100W Power Delivery
10Gbps data transfer
Gigabit Ethernet
Combo Audio



PID: WS-UG63PD25

1x USB-C Port to Host
2x DP 1.2 + 3x HDMI 2.0
1x 4K@60Hz + 2x 2K@60Hz
100W Power Delivery
10Gbps data transfer
Gigabit Ethernet
Combo Audio



PID: WS-UG69PD24

1x USB-C Port to Host
2x DP 1.2 + 1x HDMI 2.0
1x 4K@60Hz or 3x 4K@60Hz
100W Power Delivery
5Gbps data transfer
Gigabit Ethernet
Combo Audio



PID: WS-UG63PD24

1x USB-C Port to Host
2x DP 1.2 + 1x HDMI 2.0
1x 4K@60Hz + 2x 2K@60Hz
100W Power Delivery
5Gbps data transfer
Gigabit Ethernet
Combo Audio



PID: WS-UG39PD5

1x USB-C Port to Host
2x HDMI + 1x DVI
1x 4K@60Hz or
1x 4K@60Hz + 2x 2K@60Hz
65W Power Delivery
5Gbps data transfer
Gigabit Ethernet
Combo Audio



PID: WS-UG39PD1


1x USB-C Port to Host
2x HDMI 2.0 + 1x DVI
1x 4K@60Hz or
1x 4K@60Hz + 2x 2K@60Hz
65W Power Delivery
5Gbps data transfer
Gigabit Ethernet
Combo Audio



DisplayLink USB-C /A

Triple Display Universal KVM Docking Station with Dual 100W Charging

Powered by DisplayLink / Work with USB-C&A laptop / Support the True Sharing between Two Hosts with Different Systems



PID: WS-UG69PD27

2x USB-C Port to two Hosts
2x DisplayPort 1.2 (4K@60Hz)
2x HDMI 2.0 (4K@60Hz)
1x USB-C (10G)
4x USB-A (2x10G, 2x 480Mbps)
1x Gigabit Ethernet
1x 3.5mm Combo Audio
1x DC IN 20V
1x Hosts Switch Button
1x Power ON/OFF Switch



HOT SALE
10Gbps

DisplayLink USB-C /A

Dual Display Universal Docking Station with 100W Charging

PID: WS-UG69PD1M Pro

1x USB-C Port to Host
 2x DP 1.2 + 2x HDMI 2.0
 1x 4K@60Hz or 2x 4K@60Hz
 100W Power Delivery
 10Gbps data transfer
 Gigabit Ethernet
 Mic In + Audio Out



10Gbps

HOT SALE

PID: WS-UG63PD1M Pro

1x USB-C Port to Host
 2x DP 1.2 + 2x HDMI 2.0
 1x 2K@60Hz or 2x 2K@60Hz
 100W Power Delivery
 10Gbps data transfer
 Gigabit Ethernet
 Mic In + Audio Out



10Gbps

HOT SALE

PID: WS-UG69PD1 Pro

1x USB-C Port to Host
 2x DP 1.2 + 2x HDMI 2.0
 1x 4K@60Hz or 2x 4K@60Hz
 100W Power Delivery
 5Gbps data transfer
 Gigabit Ethernet
 Combo Audio



5Gbps

HOT SALE

PID: WS-UG63PD1 Pro

1x USB-C Port to Host
 2x DP 1.2 + 2x HDMI 2.0
 1x 2K@60Hz or 2x 2K@60Hz
 100W Power Delivery
 5Gbps data transfer
 Gigabit Ethernet
 Combo Audio



5Gbps

PID: WS-UG69PD5

1x USB-C Port to Host
 2x DP1.2 + 2x HDMI 2.0
 1x 4K@60Hz or 2x 4K@60Hz
 65W Power Delivery
 5Gbps data transfer
 Gigabit Ethernet
 Combo Audio



5Gbps

PID: WS-UG69PD6

1x USB-C Port to Host
 2x DP1.2 + 2x HDMI 2.0
 1x 4K@60Hz or
 2x 4K@60Hz or 1x 4K@60Hz
 65W Power Delivery
 5Gbps data transfer
 Gigabit Ethernet
 Combo Audio




5Gbps

DisplayLink USB-C /A

Dual Display Universal Docking Station with Ergonomic Laptop Stand

Powered by DisplayLink / Work with USB-C&A laptop / World's First DisplayLink Dock with Ergonomic Laptop Stand.



PID: WS-UG69PD18 Pro

1x USB-C Port to Host
 2x DisplayPort 1.2 (4K@60Hz)
 2x HDMI 2.0 (4K@60Hz)
 1x USB-C (5G)
 3x USB-A (1x 5G, 2x 480Mbps)
 1x SD/Micro SD 3.0 (104Mbps)
 1x Gigabit Ethernet
 1x 3.5mm Combo Audio
 1x USB-C PD IN 100W




New!

5Gbps

Ergonomic Monitor Arms And Integrated Dock.

Powered by DisplayLink / Work with USB-C&A laptop / DisplayLink Dock with Ergonomic Arms.



1x USB-C Port to Host
 2x DisplayPort 1.2 (4K@60Hz)
 2x HDMI 2.0 (4K@60Hz)
 1x USB-C (10G)
 1x USB-C PD 30W Charging
 3x USB-A (10G)
 1x SD/Micro SD 3.0 (104Mbps)
 1x Gigabit Ethernet
 1x 3.5mm Combo Audio
 1x USB-C PD IN 100W

New!



- * Promote optimal comfort.
- * Boost productivity.
- * Maximize desk space.
- * Complement your workspace aesthetics.
- * Built to last.

DisplayLink USB-C /A

Dual Display Universal Docking Station

PID: WS-UG39DK1, WS-UG39DK4V

1x USB-B Port to Host
1x HDMI 1.3 + 1x DVI
1x 2K@60Hz or 2x 2K@60Hz
5Gbps data transfer
Gigabit Ethernet
Mic In + Audio Out
Vertical stand for dock is optional



5Gbps



5Gbps

PID: WS-UG39DK7, WS-UG39DK8

1x USB-B Port to Host
1x HDMI 1.3 + 1x DVI
1x 2K@60Hz or 2x 2K@60Hz
5Gbps data transfer
Gigabit Ethernet
Mic In + Audio Out



5Gbps



5Gbps

PID: WS-UG39DK3

1x USB-B Port to Host
1x HDMI 1.3 + 1x DVI
1x 2K@60Hz or 2x 2K@60Hz
5Gbps data transfer
BC1.2 12W Fast Charging
Gigabit Ethernet
Mic In + Audio Out
Bauhaus Design



5Gbps

PID: WS-UG39DH2

1x USB-A to Host with fixed cable 13cm
1x HDMI 1.3 + 1x VGA
1x 4K@30Hz or
1x 4K@30Hz + 1x 1080P@60Hz
5Gbps data transfer
SD/Micro SD 3.0 (104Mbps)
Gigabit Ethernet
2-in-1 Combo Design




5Gbps

DisplayLink USB-C /A

Dual Display Universal Docking Station with 2.5" HDD Enclosure

Powered by DisplayLink / Work with USB-C&A laptop / Support the True Sharing between Two Hosts with Different Systems



PID: WS-UG39DK2D

1x USB-B Port to Host
1x HDMI 1.3 + 1x DVI
1x 2K@60Hz or 2x 2K@60Hz
6x USB-A (4x 5G, 2x 480Mbps)
1x USB-A (5V 2.4A, 12W Charging)
1x Gigabit Ethernet
1x 3.5mm Combo Audio
1x 2.5" HDD Enclosure
1x DC IN 20V
1x Power ON/OFF Switch



5Gbps




World's 1st

Wi-Fi 6 Wireless Dock

Dual 4k@60Hz Display, 100W Power Delivery

World's First Wi-Fi 6 based Wireless Dock available in global market / Connection with Wireless Mode or USB Mode



PID: WS-WD77PD1

Wi-Fi 6 module supports 5GHz
2x External omni directional antennas
1x USB-C Port to Host
2x HDMI (4K@60Hz)
1x USB-C (5G, 7.5W)
3x USB-A (5G)
1x Gigabit Ethernet
1x 3.5mm Combo Audio
1x Mode Switch Button



reddot winner 2024




Wireless Mode works with Windows only
USB Mode works with both macOS and Windows

Wi-Fi 6 Wireless Dock

Dual Display, 100W Power Delivery

World's First Wi-Fi 6 based Wireless Dock in Mass Production / Connection with Wireless Mode or USB Mode



PID: WS-WD76PD1

Wi-Fi 6 module supports 5GHz
2x External omni directional antennas
1x USB-C Port to Host
1x HDMI (4K@30Hz)
1x HDMI (1080P@60Hz)
1x USB-C (5G, 7.5W)
3x USB-A (5G)
1x Gigabit Ethernet
1x 3.5mm Combo Audio
1x Mode Switch Button




reddot winner 2024



Wireless Mode works with Windows only
USB Mode works with both macOS and Windows

Silicon Motion Docking

Three Of Five Triple 4k@60hz Universal Docking With 100W PD In, 2.5G Ethernet




PID: WS-UG77PD1

1x USB-C Port to Host
2x DisplayPort 1.4 (4K@60Hz)
3x HDMI 2.0 (4K@60Hz)
Three of Five Triple Diaplay
100W Power Delivery
1 x USB-C 10Gbps data transfer
1 x USB-A 10Gbps data transfer
2 x USB-A 480Mbps data transfer
1 x 2.5G Ethernet port
10Gbps data transfer



Silicon Motion Display Adapter

Three Of Five Triple 4k@60hz Universal Adapter With 100W PD In




PID: WS-UG7701

1x USB-C Port to Host
2x DisplayPort 1.4 (4K@60Hz)
3x HDMI 2.0 (4K@60Hz)
Three of Five Triple Diaplay
100W Power Delivery
10Gbps data transfer



Silicon Motion Display Adapter

Three Of Five Triple 4k@60hz Universal Adapter With 100W PD In



PID: WS-UG7607

1x USB-C Port to Host
2x 4K@30Hz+2x 2K@60Hz



Silicon Motion USB-C /A

Dual Display Universal Docking Station

PID: WS-UG76PD2 Pro, WS-UG76PD4 Pro

1x USB-C Port to Host
 2x HDMI 1.4
 1x 4K@30Hz + 1x 2K@60Hz
 100W Power Delivery
 5Gbps data transfer
 Gigabit Ethernet
 Combo Audio
 Vertical stand for dock is optional



5Gbps



5Gbps

PID: WS-UG49PD1 Pro, WS-UG49PD5 Pro

1x USB-C Port to Host
 2x HDMI 1.4 + 1x DVI
 1x 4K@60Hz or
 1x 4K@60Hz + 1x 4K@30Hz + 1x 2K@60Hz
 100W Power Delivery
 5Gbps data transfer
 Gigabit Ethernet
 Combo Audio



5Gbps



5Gbps

PID: WS-UG49DK1

1x USB-B Port to Host
 1x HDMI 1.4 + 1x DVI
 1x 2K@60Hz or 2x 2K@60Hz
 5Gbps data transfer
 BC1.2 12W Fast Charging
 Gigabit Ethernet
 Mic In + Audio Out
 Bauhaus Design



5Gbps

PID: WS-UG49DH2

1x USB-A to Host with fixed cable
 1x HDMI 2.0 + 1x VGA
 1x 4K@30Hz or
 1x 4K@30Hz + 1x 2K@60Hz
 5Gbps data transfer
 SD/Micro SD 3.0 (104Mbps)
 Gigabit Ethernet
 2-in-1 Combo Design




5Gbps

Silicon Motion USB-C /A

Dual Display Universal Docking Station with 100W Charging

Powered by Silicon Motion / Work with USB-C&A laptop

**PID: WS-UG76PD5 Pro**

1x USB-C Port to Host
 2x HDMI 2.0
 1x 4K@60Hz + 1x 4K@30Hz
 1x USB-C (10G)
 4x USB-A (1x 10G, 2x 5G, 1x 480Mbps)
 1x Gigabit Ethernet
 1x Combo Audio
 1x SD/Micro SD 4.0 (312Mbps)
 1x DC IN 20V
 1x Power ON/OFF Switch




10Gbps



PD 3.1 USB-C MST

Triple Display Docking Station with 125W Charging

Based on PD 3.1 Technology supporting PD 140W Pass Through Charging / Driverless, Plug & Play



PID: WS-UMD26

- 1x USB-C Port to Host
- 1x DisplayPort 1.4 (8K@30Hz)
- 2x HDMI 2.1 (8K@30Hz)
- 125W Passthrough Charging
- 1x USB-C (10G)
- 2x USB-A (5G)
- 1x SD/Micro SD 3.0
- 1x Gigabit Ethernet
- 1x 3.5mm Combo Audio
- 1x USB-C PD IN 140W




reddot winner 2024

PD 3.1 USB-C MST

Triple Display Docking Station with 125W Charging

Based on PD 3.1 Technology supporting PD 140W Pass Through Charging / Driverless, Plug & Play

**PID: WS-UMD28**

1x USB-C Port to Host
2x DisplayPort 1.4 (8K@30Hz)
1x HDMI 2.1 (8K@30Hz)
125W Power Delivery
1x USB-C (10G)
2x USB-A (5G)
1x SD/Micro SD 3.0
1x Gigabit Ethernet
1x 3.5mm Combo Audio
1x USB-C PD IN 140W




reddot winner 2024

PD 3.1 USB-C SST

Single Display Mini Docking Station with 125W Charging

Based on PD 3.1 Technology supporting 140W Pass Through Charging / Driverless, Plug & Play

**PID: WS-UHP3419M**


1x USB-C to Host with fixed cable 25cm
1x HDMI 2.0 (4K@60Hz)
1x USB-C (10G)
2x USB-A (1x 10G, 1x 480Mbps)
125W Power Delivery
1x USB-C PD IN 140W



PD 3.1 USB-C SST

Single Display Docking Station with 125W Charging

Based on PD 3.1 Technology supporting 140W Pass Through Charging / Driverless, Plug & Play

**PID: WS-UHP3419L**

1x USB-C to Host with fixed cable 25cm
1x HDMI 2.0 (4K@60Hz)
1x USB-C (5G)
2x USB-A (1x 5G, 1x 480Mbps)
125W Power Delivery
1x USB-C PD IN 140W



PD 3.0 USB-C MST

Docking Station with 85W or 100W Charging

PID: WS-UMD323

1x USB-C Port to Host
2x DisplayPort 2.1 (4K@240Hz)
2x HDMI 2.1 (4K@120Hz)
100W Power Delivery
10Gbps data transfer
5G Ethernet

New!**10Gbps****PID: WS-UG7701**

1x USB-C Port to Host
2x DisplayPort 1.4 (4K@60Hz)
3x HDMI 2.0 (4K@60Hz)
Three of Five Triple Display
100W Power Delivery
10Gbps data transfer

New!**10Gbps****PID: WS-UMD01R Pro**

1x USB-C Port to Host
2x DisplayPort 1.4 (4K@144Hz)
1x HDMI 2.0 (4K@60Hz)
100W Power Delivery
5Gbps data transfer
SD/Micro SD 3.0 (104Mbps)
Gigabit Ethernet
Combo Audio

5Gbps**PID: WS-UMD03**

1x USB-C to Host with fixed cable 50cm
1x DisplayPort 1.2 (4K@30Hz)
1x HDMI 1.4 (4K@30Hz)
1x VGA (1080p@60Hz)
85W Power Delivery
5Gbps data transfer
SD/Micro SD 3.0 (104Mbps)
Gigabit Ethernet
Combo Audio
PD 100W Power Adapter (optional)

5Gbps**PID: WS-UMD05 Pro**

1x USB-C Port to Host
1x DisplayPort 1.4 (4K@60Hz)
2x HDMI 2.0 (4K@60Hz)
100W Power Delivery
5Gbps data transfer
SD/Micro SD 3.0 (104Mbps)
Gigabit Ethernet
Combo Audio

**PID: WS-UMD05M**

1x USB-C Port to Host
1x DisplayPort 1.4 (4K@144Hz)
2x HDMI 2.0 (4K@60Hz)
100W Power Delivery
10Gbps data transfer
SD/Micro SD 3.0 (104Mbps)
Gigabit Ethernet
Combo Audio



PD 3.0 USB-C MST

Docking Station with 100W or 85W Charging

PID: WS-UMD01M Pro

1x USB-C Port to Host
2x DisplayPort 1.4 (4K@144Hz)
1x HDMI 2.0 (4K@60Hz)
100W Power Delivery
10Gbps data transfer
Gigabit Ethernet
Combo Audio

*10Gbps***PID: WS-UMD08, WS-UMD09**

1x USB-C to Host with fixed cable 50cm
1x DisplayPort 1.4 (4K@60Hz)
2x HDMI 2.0 (4K@60Hz)
85W Power Delivery
5Gbps data transfer
SD/Micro SD 3.0 (104Mbps)
Gigabit Ethernet
Combo Audio
PD 100W Power Adapter (optional)

*5Gbps***PID: WS-UMD18, WS-UMD19**

1x USB-C to Host with fixed cable 50cm
2x DisplayPort 1.4 (4K@60Hz)
1x HDMI 2.0 (4K@60Hz)
85W Power Delivery
5Gbps data transfer
SD/Micro SD 3.0 (104Mbps)
Gigabit Ethernet
Combo Audio
PD 100W Power Adapter (optional)

*5Gbps***PID: WS-UMD20, WS-UMD21**

1x USB-C to Host with fixed cable 50cm
3x DisplayPort 1.4 (4K@60Hz)
85W Power Delivery
5Gbps data transfer
SD/Micro SD 3.0 (104Mbps)
Gigabit Ethernet
Combo Audio
PD 100W Power Adapter (optional)

*5Gbps***PID: WS-UMD15**

1x USB-C Port to Host
2x DisplayPort 1.4 (4K@60Hz)
1x HDMI 2.0 (4K@60Hz)
85W Power Delivery
5Gbps data transfer
Gigabit Ethernet
Combo Audio
PD 100W Power Adapter (optional)

*5Gbps***PID: WS-UMD22**

1x USB-C Port to Host
2x DisplayPort 1.4 (4K@60Hz)
1x HDMI 2.0 (4K@60Hz)
85W Power Delivery
5Gbps data transfer
SD/Micro SD 3.0 (104Mbps)
Gigabit Ethernet
Combo Audio
PD 100W Power Adapter (optional)

*5Gbps*

PD 3.0 USB-C MST

Triple/Dual Display Docking Station with 85W Charging



WS-UMD301

5Gbps

2x HDMI 1.4 (4K@30Hz)
1x VGA (1080P@60Hz)



WS-UMD302

5Gbps

2x HDMI 2.0 (4K@60Hz)
1x DisplayPort (4K@144Hz)

USB-C MST Triple Display Dock

1x USB-C to Host with fixed cable 25cm
85W Power Delivery | 5Gbps data transfer | SD/Micro SD 3.0 (104Mbps) | Gigabit Ethernet | Combo Audio

5Gbps



WS-UMD303

10Gbps



WS-UMD306

10Gbps



WS-UMD309

USB-C MST Triple Display Dock

1x USB-C to Host with fixed cable 25cm
2x DisplayPort 1.4 (4K@60Hz) | 1x HDMI 2.0 (4K@60Hz)
85W Power Delivery | SD/Micro SD 3.0 (104Mbps) | Combo Audio
2.5Gigabit Ethernet (UMD306), Gigabit Ethernet (UMD303)


USB-C MST Triple Display Dock

1x USB-C to Host with fixed cable 25cm
2x HDMI 2.0 (4K@60Hz)
85W Power Delivery | Gigabit Ethernet

PD 3.0 USB-C MST

Triple Display Docking Station with 100W Charging & Tool Free SSD Enclosure

Hybrid USB-C Dock with SSD Enclosure supporting SATA & NVMe Protocol / PD 100W Pass Through Charging



PID: WS-UMD23M


- 1x USB-C Port to Host
- 1x DisplayPort 1.4 (4K@60Hz)
- 2x HDMI 2.0 (4K@60Hz)
- 1x USB-C (10G)
- 3x USB-A (2x 10G, 1x 5G)
- 1x SD/Micro SD 3.0 (104Mbps)
- 1x Gigabit Ethernet
- 1x 3.5mm Combo Audio
- 1x SSD Enclosure(SATA/NVMe)
- 1x USB-C PD IN 100W (Pass Through)
- 1x DC IN 20V
- 1x Power ON/OFF Switch



PD 3.0 USB-C MST

Dual Display Docking Station with 85W Charging & Ergonomic Laptop Stand

USB-C Dock with Ergonomic Laptop Stand / Driverless, Plug & Play



PID: WS-UMD07, WS-UMD07 Pro


1x USB-C Port to Host
 2x HDMI 2.0 (4K@60Hz)
 2x USB-A (5G)
 1x SD/Micro SD 3.0 (104Mbps)
 1x Gigabit Ethernet
 1x USB-C PD IN 100W
 1x Ergonomic Laptop Stand
 PD 100W Power Adapter (WS-UMD07 Pro)



PD 3.0 USB-C MST

Dual Display Docking Station with 85W Charging & Ergonomic Laptop Stand

Powered by DisplayLink / USB-C Dock with Ergonomic Laptop Stand / Driverless, Plug & Play




PID: WS-UMD17, WS-UMD13

1x USB-C to Host
 2x HDMI 2.0 (4K@60Hz), UMD17
 2x HDMI 2.0 (2K@60Hz), UMD13
 1x USB-C (10G)
 5x USB-A (3x 10G, 2x 5G)
 85W Power Delivery
 1x USB-C PD IN 100W
 1x Ergonomic Laptop Stand



PD 3.0 USB-C SST

Steam Deck Docking Station with 85W Power Delivery



PID: WS-UHP3426

1x USB-C to Host with fixed cable
 25cm
 1x HDMI (4K@120Hz)
 1x USB-C(10G)
 2x USB-A(10G)
 1x Gigabit Ethernet
 1x USB-C PD IN 100W



USB-C SST

Single Display Mini Docking Station with PD Charging

New!

10Gbps

**4K
60Hz**



PID	WS-UHP3415M	WS-UHP3415	WS-UHP3414Pro	WS-UHP3411	WS-UHP3420
USB-C to Host	10G	10G	10G	10G	10G
PD Charging	125W	85W	85W	85W	85W
HDMI	4K@60Hz	4K@60Hz	4K@60Hz	—	4K@144Hz
USB-C Ports	1x 10G	1x 10G	1x 10G	1x 10G	1x 10G
USB-A Ports	1x 10G+1X USB2.0	1x 10G+1X USB2.0	2x 10G	2x 10G	1x 10G + 1x 480Mbps
SD/Micro SD	—	—	—	—	3.0
RJ45 Ethernet	—	—	2.5Gigabit	—	—
SSD Enclosure	—	—	—	—	√
Power Supply	USB-C PD IN	USB-C PD IN	USB-C PD IN	USB-C PD IN	USB-C PD IN

New!

5Gbps

**4K
60Hz**



PID	WS-UHP3415L	WS-UHP3416	WS-UHP3409 Pro	WS-UHP3408
USB-C to Host	5G	5G	5G	5G
PD Charging	125W	85W	85W	85W
HDMI	4K@60Hz	4K@60Hz	4K@60Hz	4K@60Hz
USB-C Ports	1x 5G	—	—	—
USB-A Ports	1x5G+1x USB2.0	3x 5G	3x 5G	2x 5G
SD/Micro SD	—	3.0	3.0	—
RJ45 Ethernet	—	—	Gigabit	Gigabit
USB-C PD IN	√	√	√	√

USB-C SST

Single Display Mini Docking Station

PID: WS-UMD32M

- 1 x USB-C to Host
- 2 x USB-A (10G)
- 3 x USB-A (5G)
- 1 x HDMI (4K@60Hz)
- 1 x SD/TF 3.0
- 1 x M.2 (10G)
- 1 x DC IN 20V

**PID: WS-UMD41M**

- 1 x USB-C to Host
- 3 x USB-A (10G)
- 1 x USB-C (40G)
- 1 x USB-C (20G)
- 1 x HDMI (8K@60Hz)
- 1 x SD/TF 3.0
- 1 x M.2 (40G)
- 1 x DC IN 20V



Single Display Mini Docking Station with PD Charging

**4K
60Hz**



PID	WS-UHP3413 Pro	WS-UHP3407 Pro	WS-UHP3406	WS-UHP3405M Pro	WS-UHP3404M
USB-C to Host	5G	5G	5G	5G	5G
PD Charging	100W	85W	60W	85W	85W
HDMI	4K@60Hz	4K@60Hz	4K@30Hz	4K@60Hz	4K@30Hz
USB-C Ports	—	1x 5G		1x 5G	—
USB-A Ports	3x 5G	2x 5G	2x 5G	2x 5G	2x 5G
SD/Micro SD	—	3.0	3.0	3.0	3.0
RJ45 Ethernet	Gigabit	—	Gigabit	—	—
Power Supply	USB-C PD IN	USB-C PD IN	USB-C PD IN	USB-C PD IN	USB-C PD IN



PID	WS-UHP3403H	WS-UHP3403M	WS-UHP3402	Qi1 Charger Dock
USB-C to Host	5G	5G	5G	5G
PD Charging	85W	85W	85W	60W PD 15W Qi1
HDMI	4K@30Hz	4K@60Hz	4K@30Hz	4K@30Hz
USB-C Ports	—	—	—	—
USB-A Ports	4x 5G	3x 5G	1x 5G	1x 5G
SD/Micro SD	—	3.0	—	3.0
RJ45 Ethernet	—	—	—	1000M
Power Supply	USB-C PD IN	USB-C PD IN	USB-C PD IN	USB-C PD IN

USB-C or A Multi Function

Hub with Ethernet Port



2.5Gbps



2.5Gbps



1Gbps



1Gbps




1Gbps

PID	WS-UHP3032G	WS-UH3032G	WS-UH3031GC1	WS-UH3031GC	WS-UH3031G
USB to Host	USB-C 10G	USB-C 10G	USB-C 5G	USB-C 5G	USB-A 5G
PD Charging	85W	—	—	—	—
USB-C Ports	1x 10G + PD	1x 10G	1x 10G	—	—
USB-A Ports	2x 10G	2x 10G	1x 10G + 1x 480Mbps	3x 5G	3x 5G
RJ45 Ethernet	2.5 Gigabit	2.5 Gigabit	Gigabit	Gigabit	Gigabit
Power Supply	USB-C PD IN	USB Bus Power	USB Bus Power	DC 5V IN	DC 5V IN

USB-C or A Multi Function

Hub with Card Reader



PID	WS-UH3047RC	WS-UH3047R
USB to Host	USB-C 5G	USB-A 5G
SD/Micro SD	3.0	3.0
USB-A Ports	3x 5G	3x 5G
Power Supply	DC 5V IN	DC 5V IN

USB-C 10Gbps

Hub with 4 Ports

10Gbps



PID	WS-UHP3411	WS-UH30420
USB-C to Host	10G	10G
PD Charging	85W	—
USB-C Ports	4x 10G (1x PD IN)	2x 10G
USB-A Ports	—	2x 10G

USB Multi Port

Hub with Fast Charging and Switch

5Gbps



PID	WS-UH3076	WS-UH3049
USB-B to Host	5G	5G
USB-A Ports	7x 5G + 7.5W Fast Charging	7x 5G + 7.5W Fast Charging
Switch	7x Switches	4x Switches
Power Supply	DC 20V IN	DC 12V IN

5Gbps



PID	WS-UH3101A	WS-UH3072P2A	WS-UH3072A
USB-B to Host	5G	5G	5G
USB-A Ports	8x 5G	7x 5G	5x 5G
	2x 5G or 7.5W	12W	2x 5G + 7.5W
Switch	1x Switch	1x Switch	—
Power Supply	DC 12V IN	DC 12V IN	DC 12V IN

5Gbps



PID	WS-UH3042P1	WS-UH3043
USB-B to Host	5G	5G
USB-A Ports	4x 5G	4x 5G
	12W	—
Switch	—	—
Power Supply	DC 5V IN	DC 5V IN

With 7x USB Ports



PID	WS-UH3075C	WS-UH3074C1	WS-UH3074C	WS-UH3074	WS-UH3075
USB to Host	USB-C 5G	USB-C 5G	USB-C 5G	USB-A 5G	USB-A 5G
USB-C Ports	—	1x 5G	—	—	—
USB-A Ports	7x 5G	6x 5G	7x 5G	7x 5G	7x 5G
Power Supply	DC 5V IN	DC 12V IN	DC 5V IN	DC 5V IN	DC 5V IN

Hub with 4 Ports



PID	WS-UH30414	WS-UH30413	WS-UH30412	WS-UH30411	WS-UH30410
USB-A to Host	5G	5G	5G	5G	5G
USB-A Ports	4x 5G	4x 5G	4x 5G	4x 5G	4x 5G
Hub Switch	4x Switchs	—	—	—	—

Thunderbolt 3 Display Adapter

Dual DisplayPort, Dual HDMI




PID	WS-UTA21D	WS-UTA01D	WS-UTA02D	WS-UTA01H	WS-UTA02H
USB to Host	Thunderbolt 3	Thunderbolt 3	Thunderbolt 3	Thunderbolt 3	Thunderbolt 3
DisplayPort 1.4	2	2	2	—	—
HDMI 2.0	—	—	—	2	2
Single Display	8K@30Hz	1x 4K@60Hz	1x 4K@60Hz	1x 4K@60Hz	1x 4K@60Hz
Dual Display	2x 4K@60Hz	2x 4K@60Hz	2x 4K@60Hz	2x 4K@60Hz	2x 4K@60Hz

Note:

- * Based on Thunderbolt 3 solution, work with Thunderbolt 3/4 Laptop, Comaptible with Windows and macOS
- * M1/M2 MacBooks will only support 1 external duplicated or extended display due to the laptop limitation.

DisplayLink Display Adapter

DisplayPort, HDMI, DVI and VGA



PID	WS-UG69DH2	WS-UG63DH2	WS-UG6902H	WS-UG39DH1	WS-UG39DH4
USB to Host	USB-A/C	USB-A/C	USB-A/C	USB-A	USB-A
DisplayPort 1.2	2	2	—	—	—
HDMI2.0	2	2	2	1	1
DVI	—	—	—	1	1
VGA	—	—	—	—	1
Single Display	1x 4K@60Hz	1x 2K@60Hz	1x 2K@60Hz	1x 2K@60Hz	1x 2K@60Hz
Dual Display	2x 4K@60Hz	2x 2K@60Hz	2x 2K@60Hz	2x 2K@60Hz	2x 2K@60Hz
RJ45 Ethernet	—	—	—	Gigabit	—

Note:

- * Work with Thunderbolt 3/4, USB4, USB3.0/2.0 Laptop, Comaptible with Windows and macOS.
- * M1/M2 MacBooks Support up to 2 external duplicated or extended displays on Windows and macOS including M1/M2.

Silicon Motion Display Adapter

Quad HDMI, Dual HDMI, Single HDMI, Single DisplayPort



PID	WS-UG7701	WS-UG7607	WS-UG7602HC	WS-UG7601HC	WS-UG7702H
USB to Host	USB-A/C	USB-A/C	USB-A/C	USB-A/C	USB-A/C
HDMI 2.0	3	4	2	—	4
Display Port	2	N/A	N/A	N/A	N/A
Single Display	1x 4K@60Hz	1x 4K@30Hz	1x 4K@30Hz	1x 4K@30Hz	4K@144Hz(Alt Mode) & 4K@60Hz(Others)
Dual Display	2x 4K@60Hz	2x 4K@30Hz + 2K@60Hz	1x 4K@30Hz + 2K@60Hz	N/A	4K@144Hz+4K@60Hz(Alt Mode+Another One)&2x4K@60Hz
Triple Display	3x 4K@60Hz	2x 2K@60Hz + 4K@30Hz	N/A	N/A	4K@144Hz+2x4K@60Hz(Alt Mode+Others)&3x4K@60Hz
Quad Display	N/A	2x 2K@60Hz + 2x 4K@30Hz	N/A	N/A	4K@144Hz+3x4K@60Hz(Alt Mode+Others)

Note:

- * Based on Silicon Motion solution, work with Thunderbolt 3/4, USB4.0/3.0/2.0 Laptop, compatible with Windows and macOS.
- * M1/M2 MacBooks Support up to 2 external duplicated or extended displays on Windows and macOS including M1/M2.

USB-C MST Display Adapter

Quad Display, Triple Display, Dual Display







PID	WS-UMD304	WS-UMD305	WS-UMD307	WS-UMD308	WS-UMD320	WS-UHP510 Max
USB to Host	USB-C	USB-C	USB-C	USB-C	USB-C	USB-C
PD Charging	—	—	—	85W	95W	87W
DisplayPort 1.4	1	1	2	1	—	—
HDMI 2.0	2	2	2	2	2	2
VGA	1	—	1	—	—	—
Single Display	1x 4K@60Hz	1x 4K@60Hz	1x 8K@60Hz	1x 8K@60Hz	1x 8K@30Hz	1x 4K@60Hz
Dual Display	2x 4K@60Hz	2x 4K@60Hz	2x 4K@60Hz	2x 4K@60Hz	2x 4K@60Hz	2x 4K@60Hz
Triple Display	1x 4K@60Hz + 2x 4K@30Hz	3x 4K@60Hz	3x 4K@60Hz	3x 4K@60Hz	—	—
Quad Display	3x 4K@30Hz + 1x 1080p@30Hz	2x 4K@60Hz + 1x 4K@30Hz + 1080p@60Hz	—	—	—	—
USB-C	—	—	—	USB-C PD IN	USB-C PD IN	USB-C PD IN
USB-A	2x 480Mbps	3x 480Mbps	3x 480Mbps	3x 480Mbps	—	—

Note:

- * Based on USB-C MST solution, work with Thunderbolt 3/4, USB4, USB-C Laptop, Compatible with Windows and macOS.
- * M1/M2 MacBooks will only support 1 external duplicated or extended display due to the laptop limitation.

USB to Display Adapter

DisplayPort, HDMI, DVI and VGA

**PID: WS-C2PD2**USB-C to DisplayPort
8K@60Hz**PID: WS-UG5501DP**USB-C to DisplayPort
4K@60Hz**PID: WS-UG5501H**USB-A to HDMI
4K@60Hz**PID: WS-UG3501H**USB-A to HDMI
2K@30Hz**PID: WS-UG3501HC**USB-C to HDMI
2K@60Hz**PID: WS-UG35H5**USB-A to HDMI
2K@60Hz**PID: WS-UG17H2**USB-C to HDMI
1920x1080@60Hz**PID: WS-UG3501D**USB-A to DVI
2K@60Hz**PID: WS-UG3501DC**USB-A to DVI
2K@60Hz**PID: WS-UG35D4**USB-C to DVI
2K@60Hz**PID: WS-UG35D6**USB-C to DVI
2K@60Hz**PID: WS-UG19D1**USB-A to DVI
2K@60Hz**PID: WS-UG17D1**USB-A to DVI
1920*1080@60Hz**PID: WS-UG17V2**USB-A to DisplayPort
1920*1080@60Hz**PID: WS-C2VGC1**USB-C to VGA
1920*1080@60Hz**PID: WS-UG321V**USB-A to VGA
1080P

USB Ethernet Adapter

10G, 5G, 2.5G and Gigabit

Thunderbolt 3
10GbE Adapter

PID: WS-NWU342G

TBT 3 to 10G Ethernet



New!

PID: WS-NWU340GD

USB-C to 5G Ethernet
with PD 100W

New!

PID: WS-NWU340G

USB-C to 5G Ethernet



New!

PID: WS-NWU330GD

USB-C to 2.5G Ethernet
with PD 100W

PID: WS-NWU331GC

USB-C 3.0 to 2.5G Ethernet



PID: WS-NWU332GC

USB-C 3.0 to 1G Ethernet



PID: WS-NWU326GC

USB-C 3.0 to 1G Ethernet



PID: WS-NWU326G

USB-A 3.0 to 1G Ethernet



PCIe Ethernet Adapter

10G,5G, 2.5G and Gigabit

PID: WS-NWP004

PCI Express 10GbE Adapter



PID: WS-NWP003

PCI Express 5GbE Adapter



PID: WS-NWP002

PCI Express 2.5GbE Adapter



PID: WS-NWP001

PCI Express 1GbE Adapter



USB Print Server

USB Wireless and Wired Print Server

PID: WS-NU88M44

Wireless 4 Port USB 2.0 Printer Server
 4x USB2.0
 1x 100Mbps Ethernet In



New!

PID: WS-NU516U1

Wireless USB2.0 Printer Server
 Wireless & Wired Mode
 Support WPS Function
 1x 100Mbps Ethernet In
 1x 100Mbps Ethernet Out



New!

PID: WS-NU88M41

Wired USB 2.0 Printer/Network Server 1x Gigabit Ethernet Port



PID: WS-NU78M41

Wired USB 2.0 Printer/Network Server
 1x 100Mbps Ethernet Port



PID: WS-NU72P11

Wired USB 2.0 Printer Server
 1x 100Mbps Ethernet Port



USB KVM Switch

1x HDMI 2.1, One Select Button for Easily Switching Between Two Notebooks

PID: WS-UHP3431

KVM Switch with 1-port HDMI 2.1 support 4K@240Hz Display
 Select button can control 2 computers and share 1 monitor with 1 set of keyboard and mouse.
 Space saving and easily sharing between two notebook and.
 Compatible with Windows 10/8/8.1/7/Vista/XP and Mac operating systems, Linux and Chrome.
 Plug and play, no external power required.



PID: WS-UHP3424

2 x USB-C to Host
 1 x DP 1.4 Out
 (8K@60Hz/4K@144Hz)
 3 x USB-A 2.0
 1 x USB-C 5V Power IN



New!

PID: WS-UH30424

2 x USB-A to Host
 3 x USB-A 3.0
 2 x USB-A 2.0
 1 x USB-C 3.0
 1 x USB-C 5V Power IN



New!

PID: WS-WH50A1

1 x USB-C to Host
 1 x LED Indicator
 1 x HDMI 1.4 Out (1920 x 1080@60Hz)
 1 x USB-C 5V Power IN



New!

PID: WS-WH50A2

1 x USB-C to Host
 1 x LED Indicator
 1 x HDMI 1.4 Out (3840 x 1440@30Hz)
 1 x USB-C 5V Power IN



New!


*Supports keyboard and mouse sharing as well as file transfer between the hosts.

*Driver-free plug-and-play, with a maximum wireless transmission distance of 30 meters and latency of 60-100ms

USB to HDMI Video Caputer

4K HDMI AV Capture

Support HDMI 2.0 Video Pass Through / 4K@60Hz Video Input & Output /4K@30Hz Video Capture


**PID: WS-HG900U**

1x USB-C to Host
 1x HDMI 2.0 In (4K@60Hz)
 1x HDMI 2.0 Out (4K@60Hz)
 Support 4K@30Hz Video Capture
 1x Mic In
 1x Line In
 1x Line Out
 OBS sotiware suported
 Support UVC 1.0/1.1/1.5, UAC 1.0
 Support HDR10 to SDR conversion
 Compaible with Windows, macOS, Android, Linux, etc.

**New!**

USB-C MST Video Caputer

4K HDMI AV Capture

**PID: WS-VR204**

1x USB-C to Host
 1x HDMI 1.4 In (4K@30Hz)
 1x HDMI 1.4 Out (4K@30Hz)
 1x DP 1.4 Out (4K@144Hz)
 1x USB-C supports PD 3.0 and 4K@144Hz Video Display
 2x USB-A 2.0 for Mouse, Keyboard, etc.
 OBS sotiware and HDCP suported
 Support UVC 1.0/1.1/1.5, UAC 1.0
 Support HDR10 to SDR conversion
 Compaible with Windows, macOS, Android, Linux, etc.

**New!****PID: WS-WS-VR203T**

USB2.0 Audio & Video Capture supporting resolution 720x576



NVMe SSD



SSD Enclosure



HDD/SSD Dock



M.2 PCIe NVMe SSD

With Capacity 256G, 512G, 1TB, 2TB and 4TB

PCI EXPRESS 4.0 x4



PID	RapidFire880X-4TB	RapidFire880X-2TB	RapidFire880X-1TB
Capacity	4TB	2TB	1TB
Interface	Gen 4.0 x 4	Gen 4.0 x 4	Gen 4.0 x 4
Form Factor	M.2 2280	M.2 2280	M.2 2280
Read Speed	7400Mbps	7400Mbps	7400Mbps
Write Speed	6600Mbps	6600Mbps	6600Mbps

PCI EXPRESS 3.0 x4



PID	WS-Thunderdrive 02	WS-Thunderdrive 01	WS-Thunderdrive 512	WS-Thunderdrive 256
Capacity	2TB	1TB	512G	256G
Interface	Gen 3.0 x 4	Gen 3.0 x 4	Gen 3.0 x 4	Gen 3.0 x 4
Form Factor	M.2 2280	M.2 2280	M.2 2280	M.2 2280
Read Speed	3300Mbps	3000Mbps	3000Mbps	3000Mbps
Write Speed	3000Mbps	2700Mbps	1300Mbps	1300Mbps

Portable Solid State Storage

PID: WS-PS512G1

Support USB-C 20Gbps Host Port
Max Read: 2000MB/s and Write: 1900MB/s
3D Nand Flash, Memory Capacity: ≤ 512GB
Support OTG



MagSafe Snap-On SSD Enclosure for iPhone 15 Pro

PID: WS-ST349

MagSafe design perfectly matches iPhone's MagSafe back
1x USB-C for connection with iPhone and external SSD
1x USB-C PD IN supports PD charging for iPhone
Fit 2280 SSD, max 10Gbps, support SATA/NVME protocol



USB4 40Gps SSD Enclosure

USB4 40Gbps to NVMe SSD Enclosure (Tool Free)

PID: WS-ST405C
USB4 to Single NVMe SSD Enclosure
with Built-in Cooling Fan

Note: More details, please refer to catalog page 07



PID: WS-ST402C
USB4 to Single NVMe SSD Enclosure

Note: More details, please refer to catalog page 07



Thunderbolt™ 3 SSD Enclosure

M.2 NVMe Single SSD Enclosure

Certified by Intel / World's First Thunderbolt™ 3 to NVMe SSD Enclosure

PID: WS-UTE01, WS-UTE02
Thunderbolt 3 to Single NVMe SSD Enclosure
with Thunderbolt 3 cable

Note: More details, please refer to catalog page 14



USB-C Dual SSD Enclosure

M.2 SATA & NVMe Dual Protocol (Tool Free)

PID: WS-ST348, WS-ST347
Up to 20Gbps(ST348)/10Gbps(ST347) data transfer
Dual Bay M.2 SSD Enclosure
One Bay supports M.2 SATA III 6G or PCIe 3.0x4 Nvme
One Bay supports M.2 PCIe 3.0x4 Nvme
Support 2230/2242/2260/2280 Size SSD
Built-in Heat-Conducting Silicone
Support OTG, Off On Line Clone



(WS-ST348 supports M.2 SATA/ACHI)
(WS-ST347 supports M.2 SATA and NVMe)

USB-C Dual SSD Enclosure

M.2 SATA & NVMe Dual Protocol (Tool Free)

PID: WS-ST420
USB-C Port Support Data Transfer Up to 40Gbps
Dual Bay M.2 PCIe 4.0 SSD Enclosure
Support 2230/2242/2260/2280 Size SSD
Built-in Heat-Conducting Silicone
Support OTG, Off On Line Clone



USB-C Single SSD Enclosure

M.2 SATA or NVMe Dual Protocol



PID	WS-ST340C	WS-ST338C	WS-ST238C	WS-ST237C	WS-ST236C
Interface	M.2	M.2	M.2	M.2	M.2
USB-C	10G	10G	10G	10G	10G
NVMe Protocol	√	√	√	—	—
SATA Protocol	√	—	—	√	√
SSD Size	2230 / 2242 / 2260 / 2280				2230 / 2242
OTG	√	√	√	√	√

SATA HDD/SSD Enclosure

USB-C 10Gbps, USB-B 5Gbps



PID	WS-ST235C1	WS-ST239C	WS-ST235C	WS-ST235	WS-ST239
Interface	SATA III	SATA III	SATA III	SATA III	SATA III
USB	10G	10G	5G	5G	5G
HDD/SSD	√	√	√	√	√
Form Factor	2.5"	2.5"	2.5"	2.5"	2.5"
OTG	√	√	√	√	√

SATA HDD/SSD Adapter

USB-C or USB-C to SATA III 6G



PID	WS-ST345A	WS-ST345AP	WS-ST345C	WS-ST345CP
Interface	SATA III	SATA III	SATA III	SATA III
USB to Host	USB-A, 5G	USB-A, 5G	USB-C, 5G	USB-C, 5G
HDD/SSD	√	√	√	√
SSD Size	2.5"	2.5"	2.5"	2.5"
OTG	√	√	√	√
Power Adapter	—	DC 12V/2A	—	DC 12V/2A

HDD/SSD Storage Dock

5Gbps and Dual Bay



PID	WS-ST334UA	WS-ST341U	WS-ST336A
Interface	SATA III	SATA III	SATA III
USB to Host	USB-B, 5G	USB-B, 5G	USB-B, 5G
HDD/SSD	√	√	√
SSD Size	2.5" & 3.5"	2.5" & 3.5"	2.5" & 3.5"
SD/Micro SD	—	—	3.0
USB-A	—	—	2x 5G, 2x 7.5W
Power Adapter	DC 12V/3A	DC 12V/3A	DC 12V/4A

HDD/SSD Storage Dock

5Gbps and Single Bay



PID	WS-ST33UA	WS-ST335A	WS-ST331A
Interface	SATA III	SATA III	SATA III
USB to Host	USB-C, 5G	USB-B, 5G	USB-B, 5G
HDD/SSD	√	√	√
SSD Size	2.5" & 3.5"	2.5" & 3.5"	2.5" & 3.5"
SD/Micro SD	—	3.0	3.0
USB-A	—	2x 5G	2x 5G
Power Adapter	DC 12V/3A	DC 12V/3A	DC 12V/3A

NAS (Network Attached Storage)**Single Bay, Dual Bay for Small Business and Home Office****N**
NETWORK**A**
ATTACHED**S**
STORAGE**PID: WS-NAS201**

Dual Bay for 2.5"/3.5" HDD

Support capacity up to 2x 20TB

AI Image Recognition & Intelligent Classification

1x 2.5Gigabit Ethernet Port

1x USB-A 3.0


**PID: WS-NAS101**

Single Bay for 2.5"/3.5" HDD

Support capacity up to 1x 20TB

1x Gigabit Ethernet Port

1x USB-A 3.0





240W/200W/140W Wall Charger, Desktop Charger



PID	WS-G1402	WS-G1402D	WS-G2003D	WS-G2403D
Charger Type	Wall Charger	Desktop Charger	Desktop Charger	Desktop Charger
PD Version	PD3.1	PD3.1	PD3.1	PD3.1
USB Ports	2C1A	2C1A	3C1A	3C1A
Single Port(Max)	140W	140W	200W	240W
Multi Port(Max)	100W+12W+12W	100W+12W+ 12W	100W+65W+12W+12W	140W+65W+12W+12W

* The GaN Power Adapter above are foldable US plug, interchangeable EU/UK/AU are optional

130W/100W Wall Charger, Desktop Charger

100W 1C1A GaN Charger
Single Port: 100W
Multi Port: 65W + 30W



130W 3C1A GaN Charger
Single Port: 100W
Multi Port: 65W + 30W

100W 2C2A GaN Charger
Single Port: 100W
Multi Port: 38W + 30W+20W + 12W



130W 3C1A GaN Charger
Single Port: 100W
Multi Port: 65W + 30W+20W + 12W

100W 3C1A GaN Charger
Single Port: 100W
Multi Port: 45W + 30W+12W + 12W



130W 3C1A GaN Charger
Single Port: 100W
Multi Port: 65W + 30W+12W + 12W

* The GaN Power Adapter above are foldable US plug, interchangeable EU/UK/AU are optional.

PD 3.0 GaN Charger

65W/30W Wall Charger

PID: WS-G6503

65W 2C1A GaN Charger
Single Port: 65W
Foldable US plug



PID: WS-G6502

65W 1C GaN Charger
Single Port: 65W
Foldable US plug



PID: WS-G6502FA

65W 1C1A GaN Charger
Single Port: 65W
Multi Port: 12W + 12W
Fixed US or UK plug



PID: WS-G6502FC

65W 1C GaN Charger
Single Port: 65W
Foldable US plug



PID: WS-G6505

65W 2C1A GaN Charger
Single Port: 65W
Multi Port: 30W + 12W + 12W
Foldable EU or US plug
Fixed UK or AU plug



PID: WS-G3002

30W 1C GaN Charger
Single Port: 30W
Foldable US plug



Note:


* For WS-G6502 and WS-G3002, interchangeable EU/UK/AU are optional.

PD 3.0 GaN Power Adapter

100W/130W


PID: WS-G1004C, WS-G1304C

USB-C PD 100W GaN Power Adapter
USB-C PD 130W GaN Power Adapter



PID: WS-G1005C, WS-G1305C

USB-C PD 100W GaN Power Adapter
USB-C PD 130W GaN Power Adapter



PID: WS-G1004D, WS-G1304D

DC 100W GaN Power Adapter
DC 130W GaN Power Adapter

PID: WS-G1005D, WS-G1305D

USB-C PD 100W GaN Power Adapter
USB-C PD 130W GaN Power Adapter

PD 3.0 Power Adapter

112W/77W, with 1x USB-A Charging Port

PID: WS-P1101

USB-C PD 3.0 112W (100W+ 12W) Power Adapter
USB-C PD 100W to Host
USB-A 12W to USB device



PID: WS-P701

USB-C PD 3.0 77W (65W+ 12W) Power Adapter
USB-C PD 65W to Host
USB-A 12W to USB device



Desktop DC Power Adapter

360W/230W/180W/160W/130W/100W

PID: WS-P3601D

360W 20V18A AC/DC
Desktop Power Adapter



PID: WS-C2301

230W 20V11.5A AC/DC
Desktop Power Adapter



PID: WS-C1801

180W 20V9A AC/DC
Desktop Power Adapter



PID: WS-C1601

160W 20V8A AC/DC
Desktop Power Adapter



PID: WS-P1301

130W 20V6.5A AC/DC
Desktop Power Adapter



PID: WS-C1001

100W 20V5A AC/DC
Desktop Power Adapter



Qi1 15W Wireless Charger

Stand Charger, Car Charger

Qi 1 15W

Magnetic Design

Foreign Object
Detection (FOD)

Over Temperature
Protection(OTP)

Over Current
Protection (OCP)

Under Current
Protection (UCP)

PID: WS-CW101

Magnetic 15W wireless charger
5W/7.5W/10W/15W Charging
Support Apple & Android Mobile Phone
Ergonomic stand with adjustable height
WPC-Qi V1.2.4 compatible
QC2.0/3.0 & PD2.0/3.0 supported
Support FOD, OCP, OTP and UCP



New!

PID: WS-CW104

Magnetic 15W wireless car charger
5W/7.5W/10W/15W Charging
Support Apple & Android Mobile Phone
WPC-Qi V1.2.4 compatible
QC2.0/3.0 & PD2.0/3.0 supported
Support FOD, OCP, OTP and UCP



New!

Qi1 15W Wireless Charger

More items for you to choose

PID: WS-CW301

3-IN-1 15W Wireless Charger
For Phone, Apple Watch, Air Pod



PID: WS-CW002

3-IN-1 15W Wireless Charger
For Phone, Apple Watch, Air Pod



PID: WS-CW006

15W Single Wireless Charger
For Phone



Qi2 15W Wireless Charger

Pad Charger

Qi2 ⚡ 15W

 Magnetic Design

 Foreign Object Detection (FOD)

 Over Temperature Protection (OTP)

 Over Current Protection (OCP)

 Under Current Protection (UCP)
PID: WS-CW105

15W Single wireless charger
5W/7.5W/10W/15W Charging
Special designed for iPhone 15s
WPC Qi 2.0 compatible
QC2.0/3.0 & PD2.0/3.0 supported
Support FOD, OCP, OTP and UCP

**New!****PID: WS-CW106**

Magnetic 15W wireless
5W/7.5W/10W/15W Charging
Special designed for iPhone 15s
WPC Qi 2.0 compatible
QC2.0/3.0 & PD2.0/3.0 supported
Support FOD, OCP, OTP and UCP

**New!**

Qi2 ⚡ 15W

 Magnetic Design

 Foreign Object Detection (FOD)

 Over Temperature Protection (OTP)

 Over Current Protection (OCP)

 Under Current Protection (UCP)
PID: WS-CW303

15W Single wireless charger
5W/7.5W/10W/15W Charging
Special designed for iPhone 15s
WPC Qi 2.0 compatible
QC2.0/3.0 & PD2.0/3.0 supported
Support FOD, OCP, OTP and UCP

**New!****PID: WS-CW302**

Magnetic 15W wireless
5W/7.5W/10W/15W Charging
Special designed for iPhone 15s
WPC Qi 2.0 compatible
QC2.0/3.0 & PD2.0/3.0 supported
Support FOD, OCP, OTP and UCP

**New!**

Qi2 15W Wireless Charger

Pad Charger

New!

Qi2 15W

Magnetic Design

Foreign Object Detection (FOD)

Over Temperature Protection(OTP)

Over Current Protection (OCP)

Under Current Protection (UCP)

PID: WS-CW601

15W Single wireless charger
5W/7.5W/10W/15W Charging
Special designed for iPhone 15s
WPC Qi 2.0 compatible
QC2.0/3.0 & PD2.0/3.0 supported
Support FOD, OCP, OTP and UCP



Special Purpose Power Adapter

450W, 280W Intelligent Battery Charger



450W



Input Voltage:	100-240V 6A 50-60Hz
Protection:	Short circuit protection/OTP Reverse polarity Protection
Led indicate charging status	
Size:	304x114x55mm(L*W*H)
Battery type:	LiFePO4/ lithium battery/ Lead acid battery

280W



Rated Output Voltage(Vdc)	Rated Output Current(A)	Rated Output Power(W Max.)	LCD Indication
6V	10A/20A	225W	Yes
12V	10A/20A/35A	450W	Yes
24V	10A/20A	450W	Yes