


ALL FOR EFFICIENCY IMPROVEMENT



Thunderbolt / USB-C Dock / Adapter / Cable / External Storage / Power & Chargers

PRODUCT CATALOG

2025Q2



About Winstars

Winstars is committed to offering the best products and services to meet each of its customer's unique needs. It guides the company towards its long-term goals, which has contributed to its success as one of the fastest growing brands globally. Whether it is WiFi MESH Router, Outdoor AC/AP, Notebook Docking Station, Winstars designs all its products to be user-friendly. The company does not compromise when it comes to user experience. Winstars's products come with innovative and user-friendly features, delivering the best experience for the end-user.

In 2016, Winstars introduced robust TouchLink password free function in its WiFi Router and AP devices. It unveiled an option-in easy password management feature for all the line up. In 2019, Winstars introduced the "Tubro" function to its WiFi products which boost router range coverage when needed.

Winstars designs products that address the unique needs of its customers. Since its founding, Winstars has pushed the standard in product design, usability and functionality. education, business and home users. In the past few years, Winstars has increased its retail presence with innovative products like Outdoor AP solutions for home owners, and access controller plus networking devices for small and medium business. Wavlink's hardware and software solutions cater to various market segments, including

Vision of Winstars

Winstars's vision guides the company's decision-making processes, strategic management, and operations. It ensures that each decision takes the company closer to realizing its mission and goals. To make the best products in the market and to leave the customers better value and experiences than they found us.

Strength of Winstars

From the first internal card reader, HDD storage docking, USB Giga LAN card, WiFi range extender in its true sense, etc, Winstars delivers high-quality products to the market. The company seeks to advance its leadership in product design and original development by pushing for novel innovations. In 2024 alone, Winstars introduced 65 industry-leading new products to the market and awarded with 11 design awards including Reddot, IF Design, Idea, and Good Design, as well as 8 honors such as Innovation Laboratory of the State to credit Winstars research and development effort and achievements.

Office & Factories



Winstars Capability



No. 1

Docking Station Sales
in 2022



Strong Supply Chain

Five 100%
Owned Factories



**Fastest
Growing**

Wireless Networking
Expert



**Broadcasting
& Contents Creation**

Professional AV
Solutions



**Award Winning
Series**

Energy & Charging
Devices



**High
Performance**

Storage Devices



Testimony of Honor



Design Awards



reddot winner 2024



reddot winner 2024



reddot winner 2024



reddot winner 2024



reddot winner 2024



reddot winner 2024

CONTENTS

01

USB Docking Station

Thunderbolt 5/4/3 Dock	1
USB 4 Dock/Enclosure	7
USB-C Universal Dock	8
Ergonomic Dock	12
Wireless Dock	15
USB-C SMI Universal Dock	16
USB-C MST Dock	18
Ergonomic Dock	23
USB-C Steam Deck Dock	23
USB-C SST Mini Dock	24

02

USB Hub & Adapter

USB Hub	27
USB Display Adapter	30
USB Ethernet Adapter	33
USB Network Print Server	34
USB KVM Switch	34
Video Capture Card	35

03

Storage & Peripherals

NVMe SSD	36
USB SSD Enclosure	37
HDD/SSD Adapter	39
HDD/SSD Enclosure	39
HDD/SSD Storage Dock	40

04

Power & Charging Devices

GaN Charger	42
Power Adapter	44
Wireless Charger	45
Special Purpose Power Adapter	47

Thunderbolt™ 5

Triple Display Dock, 140W & 30W Charging

Based on Intel Thunderbolt 5 solution / Driverless, Plug & Play

80/120
Gbps

⚡
140W

3x 4K
144Hz

⚡
30W

1x 8K
60Hz

2.5G

SD
TF

4.0

- PID: WS-UTD59**
- 1x Thunderbolt 5 Port to Host
 - 3x Thunderbolt 5 Ports (downstream)
 - 4x USB-A (10G)
 - 1x SD/Micro SD 4.0 Card Slot
 - 1x 2.5 Gigabit Ethernet
 - 1x 3.5mm Combo Audio
 - 1x DC IN 20V
 - 1x Power ON/OFF Switch



Thunderbolt™ 5

Tool Free NVMe SSD Enclosure

Based on Intel Thunderbolt 5 solution / SSD Enclosure / Driverless, Plug & Play

80
Gbps

SSD

- PID: WS-UTE50**
- 1x Thunderbolt 5 Port to Host
 - 1x NVMe SSD Enclosure (PCIe 4.0x4, 2280 SSD)
 - Over 6000MB/s sequential read/write speed



Optional Accessory

for Thunderbolt™ 5 Docking Station and Hub

8K
60Hz

80/120
Gbps

⚡
140W


Thunderbolt 5 Cable
Certified by Intel

PID	Length	Data Transfer
WS-T5C3P	30cm	80Gbps
WS-T5C8P	80cm	80Gbps
WS-T5C10P	100cm	80Gbps



**Thunderbolt™ 4 & USB4****Quad Display Docking Station with 98W Charging**

Certified by Intel / Based on Thunderbolt 4 & DisplayLink solution / Highest Spec. available in global market

**PID: WS-UTD41**

- 1x Thunderbolt 4 Port to Host
- 3x Thunderbolt 4 Ports (downstream)
- 2x DisplayPort 1.2 (4K@60Hz)
- 2x HDMI 2.0 (4K@60Hz)
- 4x USB-A (2x 10G, 2x 5G)
- 1x SD 4.0 Card Slot
- 1x 2.5 Gigabit Ethernet
- 1x 3.5mm Combo Audio
- 1x DC IN 20V
- 1x Power ON/OFF Switch
- 1x Thunderbolt 4 Cable (2.6ft/80cm)



Thunderbolt™ 4 & USB4

Triple Display Docking Station with 98W & 30W Charging

Certified by Intel / Based on Thunderbolt 4 & MST solution / Driverless, Plug & Play

40
Gbps

98W

3x 4K
60Hz

30W

1x 8K
60Hz

2.5G

SD
TF 4.0

Audio

- PID: WS-UTD45**
- 1x Thunderbolt 4 Port to Host
 - 1x Thunderbolt 4 Ports (downstream)
 - 2x HDMI 2.0 (4K@60Hz)
 - 1x USB-C (10G, PD 30W)
 - 4x USB-A (2x 10G, 2x 5G)
 - 1x SD/Micro SD 4.0 Card Slot
 - 1x 2.5 Gigabit Ethernet
 - 1x 3.5mm Combo Audio
 - 1x DC IN 20V
 - 1x Power ON/OFF Switch
 - 1x Thunderbolt 4 Cable (2.6ft/80cm)



Thunderbolt™ 4 & USB4

Dual Display Docking Station with 98W & 30W Charging

Certified by Intel / Based on Thunderbolt 4 & MST solution / Driverless, Plug & Play

40
Gbps

98W

2x 4K
60Hz

30W

1x 8K
60Hz

2.5G

SD
4.0

Audio


- PID: WS-UTD43**
- 1x Thunderbolt 4 Port to Host
 - 3x Thunderbolt 4 Ports (downstream)
 - 4x USB-A (2x 10G, 2x 5G)
 - 1x SD 4.0 Card Slot
 - 1x 2.5 Gigabit Ethernet
 - 1x 3.5mm Combo Audio
 - 1x DC IN 20V
 - 1x Power ON/OFF Switch
 - 1x Thunderbolt 4 Cable (2.6ft/80cm)



Thunderbolt™ 4 & USB4

Hub with Dual Display & 90W Charging

Certified by Intel / Based on Thunderbolt 4solution / Driverless, Plug & Play / Aluminum Alloy Shell with Slim Design


**PID: WS-UTD49T**

1x Thunderbolt 4 Port to Host
3x Thunderbolt 4 Ports (downstream)
1x USB-A (10G, 15W)
1x DC IN 20V
1x Power ON/OFF Switch
1x Thunderbolt 4 Cable (2.6ft/80cm)



Optional Accessory

for Thunderbolt™ 4 Docking Station and Hub

**Thunderbolt 4 Cable**

Certified by Intel

PID	Length	Data Transfer
WS-T4C5P	50cm	40Gbps
WS-T4C7P	70cm	40Gbps
WS-T4C8P	80cm	40Gbps
WS-T4C10P	100cm	40Gbps



Thunderbolt™ 3

Dual Display Docking Station

PID: WS-UTD21, WS-UTD23

Cerfied by Intel
1x 8K@30Hz or 2x 4K@60Hz
65W Power Delivery
10Gbps data transfer
Gigabit Ethernet
Combo Audio
1x Thunderbolt™ 3 Cable (2.3ft/70cm)
DP to HDMI adapter 4K@60Hz (Oponal)



PID: WS-UTD01, WS-UTD03

Cerfied by Intel
2x 4K@60Hz
85W Power Delivery
5Gbps data transfer
1x SD/Micro SD 3.0 Card Slot
Gigabit Ethernet
Combo Audio
1x Thunderbolt™ 3 Cable (2.3ft/70cm)
DP to HDMI adapter 4K@60Hz (Oponal)



PID: WS-UTD04, WS-UTD05

Cerfied by Intel
2x 4K@60Hz
5Gbps data transfer
Gigabit Ethernet
1x Thunderbolt™ 3 Cable (1.6ft/50cm)
DP to HDMI adapter 4K@60Hz (Oponal)



Optional Accessory

for Thunderbolt™ 3 Docking Station and Display Adapter

Thunderbolt 3 Cable
Certified by Intel

PID	Length	Data Transfer
WS-TC5P	50cm	40Gbps
WS-TC7P	70cm	40Gbps
WS-TC10P	100cm	20Gbps
WS-TC18A	180cm	40Gbps



DisplayPort to HDMI Adapter
4K@60Hz



PID: WS-CAH5

THUNDERBOLT™ 3**to Dual Display Adapter****PID: WS-UTA21D**

Certified by Intel
 2x DisplayPort 1.4
 1x 8K@30Hz or 2x 4K@60Hz
 1x Thunderbolt 3 Cable (1.6ft/50cm)
 Driverless, Plug and Play
 DP to HDMI adapter 4K@60Hz (Optional)

**PID: WS-UTA01D, WS-UTA02D**

Certified by Intel
 2x DisplayPort 1.2
 2x 4K@60Hz
 1x Thunderbolt 3 Cable (1.6ft/50cm)
 Driverless, Plug and Play
 DP to HDMI adapter 4K@60Hz (Optional)

**PID: WS-UTA01H, WS-UTA02H**

Certified by Intel
 2x HDMI 2.0
 2x 4K@60Hz
 1x Thunderbolt 3 Cable (1.6ft/50cm)
 Driverless, Plug and Play
 DP to HDMI adapter 4K@60Hz (Optional)

**THUNDERBOLT™ 3****to M.2 NVMe SSD Enclosure**

Certified by Intel / World's First Thunderbolt™ 3 to NVMe SSD Enclosure

PID: WS-UTE01, WS-UTE02

Certified by Intel
 Special design for Apple users
 Up to 40Gbps data transfer
 Compatible with M.2 NVMe SSD 2280
 Support up to 2TB capacity SSD
 Driverless, Plug and Play
 1x Thunderbolt 3 Cable (1.6ft/50cm)
 SSD is not included



Note: Winstars supply high performance 256G/512G/1TB/2TB SSD, pls refer to catalog Page 61.

USB4 40Gbps

to M.2 NVMe Dual SSD Enclosure (Tool Free)

Based on ASMedia USB4 solution / The True USB4 to NVMe SSD Enclosure available in global market

PID: WS-ST405C



- Up to 40Gbps data transfer
- Compatible with M.2 NVMe SSD 2230/2242/2260/2280
- Support up to 4TB capacity SSD
- Buit-in Fan for Betier Heat-dissipation
- CNC Aluminum Enclosure
- Groove Design with Efficient Heat Dissipation
- Continuous High-Speed Performance
- Tool free design, friendly to use
- Driverless, Plug and Play
- 1x USB 4 Cable (0.8ft/25cm)
- SSD is not included



USB4 40Gbps

to M.2 NVMe Dual SSD Enclosure (Tool Free)

Based on ASMedia USB4 solution / The True USB4 to NVMe SSD Enclosure available in global market

PID: WS-ST401C

- Up to 40Gbps data transfer
- Compatible with M.2 NVMe SSD 2230/2242/2260/2280
- Support up to 4TB capacity SSD
- CNC Aluminum Enclosure
- Groove Design with Efficient Heat Dissipation
- Continuous High-Speed Performance
- Tool free design, friendly to use
- Driverless, Plug and Play
- 1x USB 4 Cable (0.8ft/25cm)
- SSD is not included



Reference Design


for USB4 to NVMe SSD Enclosure



USB4 40G Type-C

Dual HDMI Display Docking Station with 85W Charging

Based on Intel USB4 solution / Driverless, Plug & Play / Aluminum Alloy Shell with Slim Design




PID: WS-UMD4403
1x USB4 Port to Host
with fixed USB4 cable 15cm
1x HDMI 2.0 (1x 8K@30Hz)
1x HDMI 2.0 (1x 4K@60Hz)
1x USB-C (10G)
6x USB-A (2x 10G, 2x 5G, 1x 480Mbps)
1x Gigabit Ethernet
1x USB-C PD IN 100W



USB4 40G Type-C

Dual Diaplayport Display Docking Station with 140W Charging

Certified by Intel / Based on solution / Driverless, Plug & Play / World's First Thunderbolt 4 Dock with SSD Enclosure



PID: WS-UMD4406
1x USB4 Port to Host
2x USBC 40G
1x USBC 20G
2x DP2.1(4K@240Hz)
1x PD140W
1x m.2 Enclosure



PID: WS-UMD4407
1 x USB4 Port to Host
2 x USB-C 40G
1 x USB-C 20G
2 x HDMI2.1(4K@144Hz)
1 x PD140W
1 x m.2 Enclosure




World's Highest Spec.

DisplayLink Universal Dock

2x 8K@60Hz + 3x 4K@60Hz



DisplayLink DL-7400



PID: WS-UG75PD5-3H2D

- 1x USB-C Port to Host
- 2x DP 1.4
- 3x HDMI 2.0
- 2x USB-C (10G)
- 3x USB-A (10G)
- 1x 2.5 Gigabit Ethernet
- 1x 3.5mm Combo Audio
- 1x DC IN 20V
- 1x Power ON/OFF Switch



WS-UG75PD5-3H2D supports up to 2x 8K@60Hz+3x 4K@60Hz display, works with Thunderbolt 3/4, USB4, USB-C laptops based on Windows, macOS (including M1/M2/M3 Mac), Chromes, etc.

M1/M2/M3 Mac systems support up to four external displays extended or duplicated with the latest DisplayLink drivers.



DisplayLink USB-C /A

Four Display Docking Station with 100W

**PID: WS-UG75PD2-4D1/2/5**

4x DP 1.4
1x SD/Micro SD 4.0 (312Mbps)

**PID: WS-UG75PD2-DH1/2/5**

2x DP 1.4, 2x HDMI 2.0
1x SD/Micro SD 4.0 (312Mbps)

**PID: WS-UG75PD2-4H1/2/5**

4x HDMI 2.0
1x SD/Micro SD 4.0 (312Mbps)

**PID: WS-UG75PD4-4D1/2/5**

4x DP 1.4

**PID: WS-UG75PD4-DH1/2/5**

2x DP 1.4, 2x HDMI 2.0

**PID: WS-UG75PD4-4H1/2/5**

4x HDMI 2.0



Each model has three Ethernet options: 1G Ethernet Port, 2.5G Ethernet Port and 5G Ethernet Port

Works with Thunderbolt 3/4/5, USB4, USB-C laptops under Windows, macOS (including M1/M2/M3 Mac), Chromes, etc.

Support duplicated or extended displays on Windows and macOS including M1/M2/M3.

DisplayLink PCIe


Quad Display Adapter

PID: WS-UG7500D-GT

4x DisplayPort 1.4
1x PCIe 3.0 x 2
4x 4K@120Hz

**PID: WS-UG7500H-GT**

4x HDMI 2.0
1x PCIe 3.0 x 2
4x 4K@60Hz

**PID: WS-7500DH-GT**


2x DisplayPort 1.4
+ 2x HDMI 2.0
1x PCIe 3.0 x 2
4x 4K@60Hz



DisplayLink USB-C /A

Quad Display Universal Docking Station with 100W & 30W Charging

Powered by DisplayLink / Work with USB-C&A laptop / Support Windows & macOS (includes M1 & M2)

**PID: WS-UG69PD8**

1x USB-C Port to Host
4x DisplayPort 1.2 (4K@60Hz)
4x 4HDMI 2.0(4K@60Hz)
1x USB-C (2x 10G, 2x 5G)
1x USB-C (10G, PD 30W)
4x USB-A (2x 10G, 2x 5G)
1x SD/Micro SD 4.0
1x 2.5 Gigabit Ethernet
1x 3.5mm Combo Audio
1x DC IN 20V
1x Power ON/OFF Switch



DisplayLink USB-C /A

Triple Display Universal Docking Station with PD Charging

PID: WS-UG69PD25

1x USB-C Port to Host
2x DP 1.2 + 3x HDMI 2.0
1x 4K@60Hz or 3x 4K@60Hz
100W Power Delivery
10Gbps data transfer
Gigabit Ethernet
Combo Audio



PID: WS-UG63PD25

1x USB-C Port to Host
2x DP 1.2 + 3x HDMI 2.0
1x 4K@60Hz + 2x 2K@60Hz
100W Power Delivery
10Gbps data transfer
Gigabit Ethernet
Combo Audio



PID: WS-UG69PD24

1x USB-C Port to Host
2x DP 1.2 + 1x HDMI 2.0
1x 4K@60Hz or 3x 4K@60Hz
100W Power Delivery
5Gbps data transfer
Gigabit Ethernet
Combo Audio



PID: WS-UG63PD24

1x USB-C Port to Host
2x DP 1.2 + 1x HDMI 2.0
1x 4K@60Hz + 2x 2K@60Hz
100W Power Delivery
5Gbps data transfer
Gigabit Ethernet
Combo Audio



PID: WS-UG39PD5

1x USB-C Port to Host
2x HDMI + 1x DVI
1x 4K@60Hz or
1x 4K@60Hz + 2x 2K@60Hz
65W Power Delivery
5Gbps data transfer
Gigabit Ethernet
Combo Audio



PID: WS-UG39PD1


1x USB-C Port to Host
2x HDMI 2.0 + 1x DVI
1x 4K@60Hz or
1x 4K@60Hz + 2x 2K@60Hz
65W Power Delivery
5Gbps data transfer
Gigabit Ethernet
Combo Audio



DisplayLink USB-C /A

Triple Display Universal KVM Docking Station with Dual 100W Charging

Powered by DisplayLink / Work with USB-C&A laptop / Support the True Sharing between Two Hosts with Different Systems



PID: WS-UG69PD27

2x USB-C Port to two Hosts
2x DisplayPort 1.2 (4K@60Hz)
2x HDMI 2.0 (4K@60Hz)
1x USB-C (10G)
4x USB-A (2x10G, 2x 480Mbps)
1x Gigabit Ethernet
1x 3.5mm Combo Audio
1x DC IN 20V
1x Hosts Switch Button
1x Power ON/OFF Switch



DisplayLink USB-C /A

Dual Display Universal Docking Station with 100W Charging

PID: WS-UG69PD1M Pro

1x USB-C Port to Host
2x DP 1.2 + 2x HDMI 2.0
1x 4K@60Hz or 2x 4K@60Hz
100W Power Delivery
10Gbps data transfer
Gigabit Ethernet
Mic In + Audio Out



10Gbps

HOT SALE

PID: WS-UG63PD1M Pro

1x USB-C Port to Host
2x DP 1.2 + 2x HDMI 2.0
1x 2K@60Hz or 2x 2K@60Hz
100W Power Delivery
10Gbps data transfer
Gigabit Ethernet
Mic In + Audio Out



10Gbps

HOT SALE

PID: WS-UG69PD1 Pro

1x USB-C Port to Host
2x DP 1.2 + 2x HDMI 2.0
1x 4K@60Hz or 2x 4K@60Hz
100W Power Delivery
5Gbps data transfer
Gigabit Ethernet
Combo Audio



5Gbps

HOT SALE

PID: WS-UG63PD1 Pro

1x USB-C Port to Host
2x DP 1.2 + 2x HDMI 2.0
1x 2K@60Hz or 2x 2K@60Hz
100W Power Delivery
5Gbps data transfer
Gigabit Ethernet
Combo Audio



5Gbps

PID: WS-UG69PD5

1x USB-C Port to Host
2x DP1.2 + 2x HDMI 2.0
1x 4K@60Hz or 2x 4K@60Hz
65W Power Delivery
5Gbps data transfer
Gigabit Ethernet
Combo Audio



5Gbps

PID: WS-UG69PD6

1x USB-C Port to Host
2x DP1.2 + 2x HDMI 2.0
1x 4K@60Hz or
2x 4K@60Hz or 1x 4K@60Hz
65W Power Delivery
5Gbps data transfer
Gigabit Ethernet
Combo Audio




5Gbps

DisplayLink USB-C /A

Dual Display Universal Docking Station with Ergonomic Laptop Stand

Powered by DisplayLink / Work with USB-C&A laptop / World's First DisplayLink Dock with Ergonomic Laptop Stand.

**PID: WS-UG69PD18 Pro**

1x USB-C Port to Host
2x DisplayPort 1.2 (4K@60Hz)
2x HDMI 2.0 (4K@60Hz)
1x USB-C (5G)
3x USB-A (1x 5G, 2x 480Mbps)
1x SD/Micro SD 3.0 (104Mbps)
1x Gigabit Ethernet
1x 3.5mm Combo Audio
1x USB-C PD IN 100W




New!

5Gbps

Ergonomic Monitor Arms And Integrated Dock.

Powered by DisplayLink / Work with USB-C&A laptop / DisplayLink Dock with Ergonomic Arms.



1x USB-C Port to Host
2x DisplayPort 1.2 (4K@60Hz)
2x HDMI 2.0 (4K@60Hz)
1x USB-C (10G)
1x USB-C PD 30W Charging
3x USB-A (10G)
1x SD/Micro SD 3.0 (104Mbps)
1x Gigabit Ethernet
1x 3.5mm Combo Audio
1x USB-C PD IN 100W



- * Promote optimal comfort.
- * Boost productivity.
- * Maximize desk space.
- * Complement your workspace aesthetics.
- * Built to last.

DisplayLink USB-C /A

Dual Display Universal Docking Station

PID: WS-UG39DK1, WS-UG39DK4V

1x USB-B Port to Host
 1x HDMI 1.3 + 1x DVI
 1x 2K@60Hz or 2x 2K@60Hz
 5Gbps data transfer
 Gigabit Ethernet
 Mic In + Audio Out
 Vertical stand for dock is optional



5Gbps



5Gbps

PID: WS-UG39DK7, WS-UG39DK8

1x USB-B Port to Host
 1x HDMI 1.3 + 1x DVI
 1x 2K@60Hz or 2x 2K@60Hz
 5Gbps data transfer
 Gigabit Ethernet
 Mic In + Audio Out



5Gbps



5Gbps

**PID: WS-UG39DK3**

1x USB-B Port to Host
 1x HDMI 1.3 + 1x DVI
 1x 2K@60Hz or 2x 2K@60Hz
 5Gbps data transfer
 BC1.2 12W Fast Charging
 Gigabit Ethernet
 Mic In + Audio Out
 Bauhaus Design



5Gbps

PID: WS-UG39DH2

1x USB-A to Host with fixed cable 13cm
 1x HDMI 1.3 + 1x VGA
 1x 4K@30Hz or
 1x 4K@30Hz + 1x 1080P@60Hz
 5Gbps data transfer
 SD/Micro SD 3.0 (104Mbps)
 Gigabit Ethernet
 2-in-1 Combo Design




5Gbps

DisplayLink USB-C /A

Dual Display Universal Docking Station with 2.5" HDD Enclosure

Powered by DisplayLink / Work with USB-C&A laptop / Support the True Sharing between Two Hosts with Different Systems

**PID: WS-UG39DK2D**

1x USB-B Port to Host
 1x HDMI 1.3 + 1x DVI
 1x 2K@60Hz or 2x 2K@60Hz
 6x USB-A (4x 5G, 2x 480Mbps)
 1x USB-A (5V 2.4A, 12W Charging)
 1x Gigabit Ethernet
 1x 3.5mm Combo Audio
 1x 2.5" HDD Enclosure
 1x DC IN 20V
 1x Power ON/OFF Switch



5Gbps


World's 1st



Wi-Fi 6 Wireless Dock

Dual 4k@60Hz Display, 100W Power Delivery

World's First Wi-Fi 6 based Wireless Dock available in global market / Connection with Wireless Mode or USB Mode



PID: WS-WD77PD1

Wi-Fi 6 module supports 5GHz
2x External omni directional antennas
1x USB-C Port to Host
2x HDMI (4K@60Hz)
1x USB-C (5G, 7.5W)
3x USB-A (5G)
1x Gigabit Ethernet
1x 3.5mm Combo Audio
1x Mode Switch Button



reddot winner 2024




Wireless Mode works with Windows only
USB Mode works with both macOS and Windows

Wi-Fi 6 Wireless Dock

Dual Display, 100W Power Delivery

World's First Wi-Fi 6 based Wireless Dock in Mass Production / Connection with Wireless Mode or USB Mode



PID: WS-WD76PD1

Wi-Fi 6 module supports 5GHz
2x External omni directional antennas
1x USB-C Port to Host
1x HDMI (4K@30Hz)
1x HDMI (1080P@60Hz)
1x USB-C (5G, 7.5W)
3x USB-A (5G)
1x Gigabit Ethernet
1x 3.5mm Combo Audio
1x Mode Switch Button




reddot winner 2024



Wireless Mode works with Windows only
USB Mode works with both macOS and Windows

Silicon Motion Docking

Three Of Five Triple 4k@60hz Universal Docking With 100W PD In, 2.5G Ethernet


**PID: WS-UG77PD1**

1x USB-C Port to Host
 2x DisplayPort 1.4 (4K@60Hz)
 3x HDMI 2.0 (4K@60Hz)
 Three of Five Triple Display
 100W Power Delivery
 1 x USB-C 10Gbps data transfer
 1 x USB-A 10Gbps data transfer
 2 x USB-A 480Mbps data transfer
 1 x 2.5G Ethernet port
 10Gbps data transfer

New!

Silicon Motion Display Adapter

Three Of Five Triple 4k@60hz Universal Adapter With 100W PD In


**PID: WS-UG7701**

1x USB-C Port to Host
 2x DisplayPort 1.4 (4K@60Hz)
 3x HDMI 2.0 (4K@60Hz)
 Three of Five Triple Display
 100W Power Delivery
 10Gbps data transfer

New!

Silicon Motion Display Adapter

Three Of Five Triple 4k@60hz Universal Adapter With 100W PD In

**PID: WS-UG7607**

1x USB-C Port to Host
 2x 4K@30Hz+2x 2K@60Hz

New!

Silicon Motion USB-C /A

Dual Display Universal Docking Station

PID: WS-UG76PD2 Pro, WS-UG76PD4 Pro

- 1x USB-C Port to Host
- 2x HDMI 1.4
- 1x 4K@30Hz + 1x 2K@60Hz
- 100W Power Delivery
- 5Gbps data transfer
- Gigabit Ethernet
- Combo Audio
- Vertical stand for dock is optional



PID: WS-UG49PD1 Pro, WS-UG49PD5 Pro

- 1x USB-C Port to Host
- 2x HDMI 1.4 + 1x DVI
- 1x 4K@60Hz or
- 1x 4K@60Hz + 1x 4K@30Hz + 1x 2K@60Hz
- 100W Power Delivery
- 5Gbps data transfer
- Gigabit Ethernet
- Combo Audio



PID: WS-UG49DK1

- 1x USB-B Port to Host
- 1x HDMI 1.4 + 1x DVI
- 1x 2K@60Hz or 2x 2K@60Hz
- 5Gbps data transfer
- BC1.2 12W Fast Charging
- Gigabit Ethernet
- Mic In + Audio Out
- Bauhaus Design



PID: WS-UG49DH2


- 1x USB-A to Host with fixed cable
- 1x HDMI 2.0 + 1x VGA
- 1x 4K@30Hz or
- 1x 4K@30Hz + 1x 2K@60Hz
- 5Gbps data transfer
- SD/Micro SD 3.0 (104Mbps)
- Gigabit Ethernet
- 2-in-1 Combo Design



Silicon Motion USB-C /A

Dual Display Universal Docking Station with 100W Charging

Powered by Silicon Motion / Work with USB-C&A laptop



PID: WS-UG76PD5 Pro

- 1x USB-C Port to Host
- 2x HDMI 2.0
- 1x 4K@60Hz + 1x 4K@30Hz
- 1x USB-C (10G)
- 4x USB-A (1x 10G, 2x 5G, 1x 480Mbps)
- 1x Gigabit Ethernet
- 1x Combo Audio
- 1x SD/Micro SD 4.0 (312Mbps)
- 1x DC IN 20V
- 1x Power ON/OFF Switch




**PD 3.1 USB-C MST****Triple Display Docking Station with 125W Charging**

Based on PD 3.1 Technology supporting PD 140W Pass Through Charging / Driverless, Plug & Play



reddot winner 2024

**PID: WS-UMD26/27**

- 1x USB-C Port to Host
- 1x DisplayPort 1.4 (8K@30Hz)
- 2x HDMI 2.1 (8K@30Hz)
- 125W Passthrough Charging
- 1x USB-C (10G)
- 2x USB-A (5G)
- 1x SD/Micro SD 3.0
- 1x Gigabit Ethernet
- 1x 3.5mm Combo Audio
- 1x USB-C PD IN 140W





The diagram shows the front panel of the device with the following ports and quantities:

- USB 3.1**: 1x
- 125W**: 1x
- 4K 60Hz**: 3x
- 8K 30Hz**: 1x
- DP**: 2x
- HDMI**: 1x
- 10 Gbps**: 1x
- SD TF 4.0**: 1x

- 1x USB-C Port to Host
- 2x DisplayPort 1.4 (8K@30Hz)
- 1x HDMI 2.1 (8K@30Hz)
- 125W Power Delivery
- 1x USB-C (10G)
- 2x USB-A (5G)
- 1x SD/Micro SD 3.0
- 1x Gigabit Ethernet
- 1x 3.5mm Combo Audio
- 1x USB-C PD IN 140W



Single Display Mini Docking Station with 125W Charging

A collection of seven icons arranged in a grid. The first row contains 'P3.1' with a lightning bolt icon and '125W' with a lightning bolt and three upward arrows. The second row contains '4K 60Hz' and 'HDMI' with a port icon. The third row contains 'USB-C' with a port icon and '10 Gbps'. The fourth row contains '25cm' with a cable icon.

- 1x USB-C to Host with fixed cable 25cm
- 1x HDMI 2.0 (4K@60Hz)
- 1x USB-C (10G)
- 2x USB-A (1x 10G, 1x 480Mbps)
- 125W Power Delivery
- 1x USB-C PD IN 140W



Single Display Docking Station with 125W Charging

P3.1

125W

4K 60Hz

HDMI

USB-C

5 Gbps

25cm

Cable icon

- 1x USB-C to Host with fixed cable 25cm
- 1x HDMI 2.0 (4K@60Hz)
- 1x USB-C (5G)
- 2x USB-A (1x 5G, 1x 480Mbps)
- 125W Power Delivery
- 1x USB-C PD IN 140W



PD 3.0 USB-C MST

Docking Station with 85W or 100W Charging

PID: WS-UMD323

1x USB-C Port to Host
2x DisplayPort 2.1 (4K@240Hz)
2x HDMI 2.1 (4K@120Hz)
100W Power Delivery
10Gbps data transfer
5G Ethernet

New!**10Gbps****PID: WS-UG7701**

1x USB-C Port to Host
2x DisplayPort 1.4 (4K@60Hz)
3x HDMI 2.0 (4K@60Hz)
Three of Five Triple Display
100W Power Delivery
10Gbps data transfer

New!**10Gbps****PID: WS-UMD01R Pro**

1x USB-C Port to Host
2x DisplayPort 1.4 (4K@144Hz)
1x HDMI 2.0 (4K@60Hz)
100W Power Delivery
5Gbps data transfer
SD/Micro SD 3.0 (104Mbps)
Gigabit Ethernet
Combo Audio

5Gbps**PID: WS-UMD03**

1x USB-C to Host with fixed cable 50cm
1x DisplayPort 1.2 (4K@30Hz)
1x HDMI 1.4 (4K@30Hz)
1x VGA (1080p@60Hz)
85W Power Delivery
5Gbps data transfer
SD/Micro SD 3.0 (104Mbps)
Gigabit Ethernet
Combo Audio
PD 100W Power Adapter (optional)

5Gbps**PID: WS-UMD05 Pro**

1x USB-C Port to Host
1x DisplayPort 1.4 (4K@60Hz)
2x HDMI 2.0 (4K@60Hz)
100W Power Delivery
5Gbps data transfer
SD/Micro SD 3.0 (104Mbps)
Gigabit Ethernet
Combo Audio

**PID: WS-UMD05M**

1x USB-C Port to Host
1x DisplayPort 1.4 (4K@144Hz)
2x HDMI 2.0 (4K@60Hz)
100W Power Delivery
10Gbps data transfer
SD/Micro SD 3.0 (104Mbps)
Gigabit Ethernet
Combo Audio



PD 3.0 USB-C MST

Docking Station with 100W or 85W Charging

PID: WS-UMD01M Pro

- 1x USB-C Port to Host
- 2x DisplayPort 1.4 (4K@144Hz)
- 1x HDMI 2.0 (4K@60Hz)
- 100W Power Delivery
- 10Gbps data transfer
- Gigabit Ethernet
- Combo Audio



10Gbps

PID: WS-UMD08, WS-UMD09

- 1x USB-C to Host with fixed cable 50cm
- 1x DisplayPort 1.4 (4K@60Hz)
- 2x HDMI 2.0 (4K@60Hz)
- 85W Power Delivery
- 5Gbps data transfer
- SD/Micro SD 3.0 (104Mbps)
- Gigabit Ethernet
- Combo Audio
- PD 100W Power Adapter (optional)



5Gbps

PID: WS-UMD18, WS-UMD19

- 1x USB-C to Host with fixed cable 50cm
- 2x DisplayPort 1.4 (4K@60Hz)
- 1x HDMI 2.0 (4K@60Hz)
- 85W Power Delivery
- 5Gbps data transfer
- SD/Micro SD 3.0 (104Mbps)
- Gigabit Ethernet
- Combo Audio
- PD 100W Power Adapter (optional)



5Gbps

PID: WS-UMD20, WS-UMD21

- 1x USB-C to Host with fixed cable 50cm
- 3x DisplayPort 1.4 (4K@60Hz)
- 85W Power Delivery
- 5Gbps data transfer
- SD/Micro SD 3.0 (104Mbps)
- Gigabit Ethernet
- Combo Audio
- PD 100W Power Adapter (optional)



5Gbps

PID: WS-UMD15

- 1x USB-C Port to Host
- 2x DisplayPort 1.4 (4K@60Hz)
- 1x HDMI 2.0 (4K@60Hz)
- 85W Power Delivery
- 5Gbps data transfer
- Gigabit Ethernet
- Combo Audio
- PD 100W Power Adapter (optional)



5Gbps

PID: WS-UMD22

- 1x USB-C Port to Host
- 2x DisplayPort 1.4 (4K@60Hz)
- 1x HDMI 2.0 (4K@60Hz)
- 85W Power Delivery
- 5Gbps data transfer
- SD/Micro SD 3.0 (104Mbps)
- Gigabit Ethernet
- Combo Audio
- PD 100W Power Adapter (optional)



5Gbps

PD 3.0 USB-C MST

Triple/Dual Display Docking Station with 85W Charging



WS-UMD301

5Gbps

2x HDMI 1.4 (4K@30Hz)
1x VGA (1080P@60Hz)



WS-UMD302

5Gbps

2x HDMI 2.0 (4K@60Hz)
1x DisplayPort (4K@144Hz)

USB-C MST Triple Display Dock

1x USB-C to Host with fixed cable 25cm

85W Power Delivery | 5Gbps data transfer | SD/Micro SD 3.0 (104Mbps) | Gigabit Ethernet | Combo Audio

5Gbps

WS-UMD303

10Gbps

WS-UMD306

10Gbps

WS-UMD309

USB-C MST Triple Display Dock

1x USB-C to Host with fixed cable 25cm

2x DisplayPort 1.4 (4K@60Hz) | 1x HDMI 2.0 (4K@60Hz)

85W Power Delivery | SD/Micro SD 3.0 (104Mbps) | Combo Audio

2.5Gigabit Ethernet (UMD306), Gigabit Ethernet (UMD303)

USB-C MST Triple Display Dock

1x USB-C to Host with fixed cable 25cm


2x HDMI 2.0 (4K@60Hz)

85W Power Delivery | Gigabit Ethernet

PD 3.0 USB-C MST

Triple Display Docking Station with 100W Charging & Tool Free SSD Enclosure

Hybrid USB-C Dock with SSD Enclosure supporting SATA & NVMe Protocol / PD 100W Pass Through Charging



PID: WS-UMD23M


1x USB-C Port to Host
1x DisplayPort 1.4 (4K@60Hz)
2x HDMI 2.0 (4K@60Hz)
1x USB-C (10G)
3x USB-A (2x 10G, 1x 5G)
1x SD/Micro SD 3.0 (104Mbps)
1x Gigabit Ethernet
1x 3.5mm Combo Audio
1x SSD Enclosure(SATA/NVMe)
1x USB-C PD IN 100W (Pass Through)
1x DC IN 20V
1x Power ON/OFF Switch



PD 3.0 USB-C MST

Dual Display Docking Station with 85W Charging & Ergonomic Laptop Stand

USB-C Dock with Ergonomic Laptop Stand / Driverless, Plug & Play



PID: WS-UMD07, WS-UMD07 Pro


1x USB-C Port to Host
 2x HDMI 2.0 (4K@60Hz)
 2x USB-A (5G)
 1x SD/Micro SD 3.0 (104Mbps)
 1x Gigabit Ethernet
 1x USB-C PD IN 100W
 1x Ergonomic Laptop Stand
 PD 100W Power Adapter (WS-UMD07 Pro)



PD 3.0 USB-C MST

Dual Display Docking Station with 85W Charging & Ergonomic Laptop Stand

Powered by DisplayLink / USB-C Dock with Ergonomic Laptop Stand / Driverless, Plug & Play




PID: WS-UMD17, WS-UMD13

1x USB-C to Host
 2x HDMI 2.0 (4K@60Hz), UMD17
 2x HDMI 2.0 (2K@60Hz), UMD13
 1x USB-C (10G)
 5x USB-A (3x 10G, 2x 5G)
 85W Power Delivery
 1x USB-C PD IN 100W
 1x Ergonomic Laptop Stand



PD 3.0 USB-C SST

Steam Deck Docking Station with 85W Power Delivery



PID: WS-UHP3426

1x USB-C to Host with fixed cable
 25cm
 1x HDMI (4K@120Hz)
 1x USB-C(10G)
 2x USB-A(10G)
 1x Gigabit Ethernet
 1x USB-C PD IN 100W



USB-C SST

Single Display Mini Docking Station with PD Charging

New!**10Gbps****4K
60Hz**

PID	WS-UHP3415M	WS-UHP3415	WS-UHP3414Pro	WS-UHP3411	WS-UHP3420
USB-C to Host	10G	10G	10G	10G	10G
PD Charging	125W	85W	85W	85W	85W
HDMI	4K@60Hz	4K@60Hz	4K@60Hz	—	4K@144Hz
USB-C Ports	1x 10G	1x 10G	1x 10G	1x 10G	1x 10G
USB-A Ports	1x 10G+1X USB2.0	1x 10G+1X USB2.0	2x 10G	2x 10G	1x 10G + 1x 480Mbps
SD/Micro SD	—	—	—	—	3.0
RJ45 Ethernet	—	—	2.5Gigabit	—	—
SSD Enclosure	—	—	—	—	√
Power Supply	USB-C PD IN	USB-C PD IN	USB-C PD IN	USB-C PD IN	USB-C PD IN

New!**5Gbps****4K
60Hz**

PID	WS-UHP3415L	WS-UHP3416	WS-UHP3409 Pro	WS-UHP3408
USB-C to Host	5G	5G	5G	5G
PD Charging	125W	85W	85W	85W
HDMI	4K@60Hz	4K@60Hz	4K@60Hz	4K@60Hz
USB-C Ports	1x 5G	—	—	—
USB-A Ports	1x5G+1x USB2.0	3x 5G	3x 5G	2x 5G
SD/Micro SD	—	3.0	3.0	—
RJ45 Ethernet	—	—	Gigabit	Gigabit
USB-C PD IN	√	√	√	√

USB-C SST

Single Display Mini Docking Station

PID: WS-UMD32M

- 1 x USB-C to Host
- 2 x USB-A (10G)
- 3 x USB-A (5G)
- 1 x HDMI (4K@60Hz)
- 1 x SD/TF 3.0
- 1 x M.2 (10G)
- 1 x DC IN 20V



New!


PID: WS-UMD41M

- 1 x USB-C to Host
- 3 x USB-A (10G)
- 1 x USB-C (40G)
- 1 x USB-C (20G)
- 1 x HDMI (8K@60Hz)
- 1 x SD/TF 3.0
- 1 x M.2 (40G)
- 1 x DC IN 20V



New!

USB-C SST

Single Display Mini Docking Station with PD Charging

5Gbps

4K
60Hz

PID	WS-UHP3413 Pro	WS-UHP3407 Pro	WS-UHP3406	WS-UHP3405M Pro	WS-UHP3404M
USB-C to Host	5G	5G	5G	5G	5G
PD Charging	100W	85W	60W	85W	85W
HDMI	4K@60Hz	4K@60Hz	4K@30Hz	4K@60Hz	4K@30Hz
USB-C Ports	—	1x 5G		1x 5G	—
USB-A Ports	3x 5G	2x 5G	2x 5G	2x 5G	2x 5G
SD/Micro SD	—	3.0	3.0	3.0	3.0
RJ45 Ethernet	Gigabit	—	Gigabit	—	—
Power Supply	USB-C PD IN	USB-C PD IN	USB-C PD IN	USB-C PD IN	USB-C PD IN

5Gbps

4K
60Hz

PID	WS-UHP3403H	WS-UHP3403M	WS-UHP3402	Qi1 Charger Dock
USB-C to Host	5G	5G	5G	5G
PD Charging	85W	85W	85W	60W PD 15W Qi1
HDMI	4K@30Hz	4K@60Hz	4K@30Hz	4K@30Hz
USB-C Ports	—	—	—	—
USB-A Ports	4x 5G	3x 5G	1x 5G	1x 5G
SD/Micro SD	—	3.0	—	3.0
RJ45 Ethernet	—	—	—	1000M
Power Supply	USB-C PD IN	USB-C PD IN	USB-C PD IN	USB-C PD IN

USB-C or A Multi Function

Hub with Ethernet Port



2.5Gbps



2.5Gbps



1Gbps



1Gbps




1Gbps

PID	WS-UHP3032G	WS-UH3032G	WS-UH3031GC1	WS-UH3031GC	WS-UH3031G
USB to Host	USB-C 10G	USB-C 10G	USB-C 5G	USB-C 5G	USB-A 5G
PD Charging	85W	—	—	—	—
USB-C Ports	1x 10G + PD	1x 10G	1x 10G	—	—
USB-A Ports	2x 10G	2x 10G	1x 10G + 1x 480Mbps	3x 5G	3x 5G
RJ45 Ethernet	2.5 Gigabit	2.5 Gigabit	Gigabit	Gigabit	Gigabit
Power Supply	USB-C PD IN	USB Bus Power	USB Bus Power	DC 5V IN	DC 5V IN

USB-C or A Multi Function

Hub with Card Reader



PID	WS-UH3047RC	WS-UH3047R
USB to Host	USB-C 5G	USB-A 5G
SD/Micro SD	3.0	3.0
USB-A Ports	3x 5G	3x 5G
Power Supply	DC 5V IN	DC 5V IN

USB-C 10Gbps

Hub with 4 Ports

10Gbps



PID	WS-UHP3411	WS-UH30420
USB-C to Host	10G	10G
PD Charging	85W	—
USB-C Ports	4x 10G (1x PD IN)	2x 10G
USB-A Ports	—	2x 10G

USB-C or A 5Gbps Hub

With 7x USB Ports

5Gbps



PID	WS-UH3075C	WS-UH3074C1	WS-UH3074C	WS-UH3074	WS-UH3075
USB to Host	USB-C 5G	USB-C 5G	USB-C 5G	USB-A 5G	USB-A 5G
USB-C Ports	—	1x 5G	—	—	—
USB-A Ports	7x 5G	6x 5G	7x 5G	7x 5G	7x 5G
Power Supply	DC 5V IN	DC 12V IN	DC 5V IN	DC 5V IN	DC 5V IN

USB-A 5Gbps

Hub with 4 Ports

5Gbps



PID	WS-UH30414	WS-UH30413	WS-UH30412	WS-UH30411	WS-UH30410
USB-A to Host	5G	5G	5G	5G	5G
USB-A Ports	4x 5G	4x 5G	4x 5G	4x 5G	4x 5G
Hub Switch	4x Switchs	—	—	—	—

Thunderbolt 3 Display Adapter

Dual DisplayPort, Dual HDMI



PID	WS-UTA21D	WS-UTA01D	WS-UTA02D	WS-UTA01H	WS-UTA02H
USB to Host	Thunderbolt 3	Thunderbolt 3	Thunderbolt 3	Thunderbolt 3	Thunderbolt 3
DisplayPort 1.4	2	2	2	—	—
HDMI 2.0	—	—	—	2	2
Single Display	8K@30Hz	1x 4K@60Hz	1x 4K@60Hz	1x 4K@60Hz	1x 4K@60Hz
Dual Display	2x 4K@60Hz	2x 4K@60Hz	2x 4K@60Hz	2x 4K@60Hz	2x 4K@60Hz

Note:

- * Based on Thunderbolt 3 solution, work with Thunderbolt 3/4 Laptop, Compatible with Windows and macOS
- * M1/M2 MacBooks will only support 1 external duplicated or extended display due to the laptop limitation.

DisplayLink Display Adapter

DisplayPort, HDMI



PID	WS-UG7501D	WS-UG7501DH	WS-UG7501H	WS-UG69DH2	WS-UG63DH2	WS-UG6902H
USB to Host	USB-A/C	USB-A/C	USB-A/C	USB-A/C	USB-A/C	USB-A/C
PD to Host	85W	85W	85W	-	-	-
DisplayPort 1.2	4	2	-	2	2	1
HDMI2.0	-	2	4	2	2	1
Single Display	1x 4K@144Hz	1x 4K@144Hz	1x 4K@60Hz	1x 4K@60Hz	1x 4K@60Hz	1x 4K@60Hz
Dual Display	1x 4K@144Hz + 1x 4K@120Hz	1x 4K@144Hz + 1x 4K@120Hz	2x 4K@60Hz	2x 4K@60Hz	2x 4K@60Hz	2x 4K@60Hz
Triple Display	2x 4K@120Hz + 1x 4K@144Hz	2x 4K@120Hz + 1x 4K@60Hz	3x 4K@60Hz	-	-	-
Quad Display	3x 4K@120Hz + 1x 4K@144Hz	2x 4K@120Hz + 2x 4K@60Hz	3x 4K@60Hz	-	-	-
USB-C Power IN	1x USB-C Power IN			-	-	-

Note:

- * Work with Thunderbolt 3/4/5, USB4, USB3.0/2.0 Laptop, Compatible with Windows and macOS.
- * Support duplicated or extended displays on Windows and macOS including M1/M2/M3.
- * M1/M2 MacBooks Support up to 2 external duplicated or extended displays on Windows and macOS including M1/M2.

Silicon Motion Display Adapter

Quad HDMI, Dual HDMI, Single HDMI, Single DisplayPort



PID	WS-UG7701	WS-UG7607	WS-UG7602HC	WS-UG7601HC	WS-UG7702H
USB to Host	USB-A/C	USB-A/C	USB-A/C	USB-A/C	USB-A/C
HDMI 2.0	3	4	2	—	4
Display Port	2	N/A	N/A	N/A	N/A
Single Display	1x 4K@60Hz	1x 4K@30Hz	1x 4K@30Hz	1x 4K@30Hz	4K@144Hz(Alt Mode) & 4K@60Hz(Others)
Dual Display	2x 4K@60Hz	2x 4K@30Hz + 2K@60Hz	1x 4K@30Hz + 2K@60Hz	N/A	4K@144Hz+4K@60Hz(Alt Mode+Another One)&2x4K@60Hz
Triple Display	3x 4K@60Hz	2x 2K@60Hz + 4K@30Hz	N/A	N/A	4K@144Hz+2x4K@60Hz(Alt Mode+Others)&3x4K@60Hz
Quad Display	N/A	2x 2K@60Hz + 2x 4K@30Hz	N/A	N/A	4K@144Hz+3x4K@60Hz(Alt Mode+Others)

Note:

- * Based on Silicon Motion solution, work with Thunderbolt 3/4, USB4.0/3.0/2.0 Laptop, compatible with Windows and macOS.
- * M1/M2 MacBooks Support up to 2 external duplicated or extended displays on Windows and macOS including M1/M2.

USB-C MST Display Adapter

Quad Display, Triple Display, Dual Display







PID	WS-UMD304	WS-UMD305	WS-UMD307	WS-UMD308	WS-UMD320	WS-UHP510 Max
USB to Host	USB-C	USB-C	USB-C	USB-C	USB-C	USB-C
PD Charging	—	—	—	85W	95W	87W
DisplayPort 1.4	1	1	2	1	—	—
HDMI 2.0	2	2	2	2	2	2
VGA	1	—	1	—	—	—
Single Display	1x 4K@60Hz	1x 4K@60Hz	1x 8K@60Hz	1x 8K@60Hz	1x 8K@30Hz	1x 4K@60Hz
Dual Display	2x 4K@60Hz	2x 4K@60Hz	2x 4K@60Hz	2x 4K@60Hz	2x 4K@60Hz	2x 4K@60Hz
Triple Display	1x 4K@60Hz + 2x 4K@30Hz	3x 4K@60Hz	3x 4K@60Hz	3x 4K@60Hz	—	—
Quad Display	3x 4K@30Hz + 1x 1080p@30Hz	2x 4K@60Hz + 1x 4K@30Hz + 1080p@60Hz	—	—	—	—
USB-C	—	—	—	USB-C PD IN	USB-C PD IN	USB-C PD IN
USB-A	2x 480Mbps	3x 480Mbps	3x 480Mbps	3x 480Mbps	—	—

Note:

- * Based on USB-C MST solution, work with Thunderbolt 3/4, USB4, USB-C Laptop, Compatible with Windows and macOS.
- * M1/M2 MacBooks will only support 1 external duplicated or extended display due to the laptop limitation.

USB to Display Adapter

DisplayPort, HDMI, DVI and VGA


**PID: WS-C2PD2**USB-C to DisplayPort
8K@60Hz**PID: WS-UG5501DP**USB-C to DisplayPort
4K@60Hz**PID: WS-UG5501H**USB-A to HDMI
4K@60Hz**PID: WS-UG3501H**USB-A to HDMI
2K@30Hz**PID: WS-UG3501HC**USB-C to HDMI
2K@60Hz**PID: WS-UG35H5**USB-A to HDMI
2K@60Hz**PID: WS-UG17H2**USB-C to HDMI
1920x1080@60Hz**PID: WS-UG3501D**USB-A to DVI
2K@60Hz**PID: WS-UG3501DC**USB-A to DVI
2K@60Hz**PID: WS-UG35D4**USB-C to DVI
2K@60Hz**PID: WS-UG35D6**USB-C to DVI
2K@60Hz**PID: WS-UG19D1**USB-A to DVI
2K@60Hz**PID: WS-UG17D1**USB-A to DVI
1920*1080@60Hz**PID: WS-UG17V2**USB-A to DisplayPort
1920*1080@60Hz**PID: WS-C2VGC1**USB-C to VGA
1920*1080@60Hz**PID: WS-UG321V**USB-A to VGA
1080P

USB Ethernet Adapter

10G, 5G, 2.5G and Gigabit

World First USB-C 10GbE Adapter

Powered by Realtek
Coming soon



PID: WS-NWU343G

New!

PID: WS-NWU342G

TBT 3 to 10G Ethernet



New!

PID: WS-NWU340GD

USB-C to 5G Ethernet
with PD 100W



New!

PID: WS-NWU340G

USB-C to 5G Ethernet



New!

PID: WS-NWU330GD

USB-C to 2.5G Ethernet
with PD 100W



PID: WS-NWU331GC

USB-C 3.0 to 2.5G Ethernet



PID: WS-NWU332GC

USB-C 3.0 to 1G Ethernet



PID: WS-NWU326GC

USB-C 3.0 to 1G Ethernet



PID: WS-NWU326G

USB-A 3.0 to 1G Ethernet



PCIe Ethernet Adapter

10G,5G, 2.5G and Gigabit

PID: WS-NWP004

PCI Express 10GbE Adapter



PID: WS-NWP003

PCI Express 5GbE Adapter



PID: WS-NWP002

PCI Express 2.5GbE Adapter



PID: WS-NWP001

PCI Express 1GbE Adapter



USB Print Server

USB Wireless and Wired Print Server

PID: WS-NU88M44

Wireless 4 Port USB 2.0 Printer Server
4x USB2.0
1x 100Mbps Ethernet In

**New!****PID: WS-NU516U1**

Wireless USB2.0 Printer Server
Wireless & Wired Mode
Support WPS Function
1x 100Mbps Ethernet In
1x 100Mbps Ethernet Out

**New!****PID: WS-NU88M41**

Wired USB 2.0 Printer/Network
Server 1x Gigabit Ethernet Port

**PID: WS-NU78M41**

Wired USB 2.0 Printer/Network Server
1x 100Mbps Ethernet Port

**PID: WS-NU72P11**

Wired USB 2.0 Printer Server
1x 100Mbps Ethernet Port



USB KVM Switch

1x HDMI 2.1, One Select Button for Easily Switching Between Two Notebooks

PID: WS-UHP3431

KVM Switch with 1-port HDMI 2.1 support 4K@240Hz Display
Select button can control 2 computers and share 1 monitor with 1 set of keyboard and mouse.
Space saving and easily sharing between two notebook and.
Compatible with Windows 10/8/8.1/7/Vista/XP and Mac operating systems, Linux and Chrome.
Plug and play, no external power required.

**PID: WS-UHP3424**

2 x USB-C to Host
1 x DP 1.4 Out
(8K@60Hz/4K@144Hz)
3 x USB-A 2.0
1 x USB-C 5V Power IN

**New!****PID: WS-UH30424**

2 x USB-A to Host
3 x USB-A 3.0
2 x USB-A 2.0
1 x USB-C 3.0
1 x USB-C 5V Power IN


**New!**

*Supports keyboard and mouse sharing as well as file transfer between the hosts.

USB to HDMI Video Caputer

4K HDMI AV Capture

Support HDMI 2.0 Video Pass Through / 4K@60Hz Video Input & Output /4K@30Hz Video Capture




PID: WS-HG900U

- 1x USB-C to Host
- 1x HDMI 2.0 In (4K@60Hz)
- 1x HDMI 2.0 Out (4K@60Hz)
- Support 4K@30Hz Video Capture
- 1x Mic In
- 1x Line In
- 1x Line Out
- OBS sotiware suported
- Support UVC 1.0/1.1/1.5, UAC 1.0
- Support HDR10 to SDR conversion
- Compaible with Windows, macOS, Android, Linux, etc.



USB-C MST Video Caputer

4K HDMI AV Capture



PID: WS-VR204

- 1x USB-C to Host
- 1x HDMI 1.4 In (4K@30Hz)
- 1x HDMI 1.4 Out (4K@30Hz)
- 1x DP 1.4 Out (4K@144Hz)
- 1x USB-C supports PD 3.0 and 4K@144Hz Video Display
- 2x USB-A 2.0 for Mouse, Keyboard, etc.
- OBS sotiware and HDCP suported
- Support UVC 1.0/1.1/1.5, UAC 1.0
- Support HDR10 to SDR conversion
- Compaible with Windows, macOS, Android, Linux, etc.



PID: WS-WS-VR203T

USB2.0 Audio & Video Capture supporting resolution 720x576



NVMe SSD



SSD Enclosure



HDD/SSD Dock



M.2 PCIe NVMe SSD

With Capacity 256G, 512G, 1TB, 2TB and 4TB

PCI EXPRESS 4.0 x4



PID	RapidFire880X-4TB	RapidFire880X-2TB	RapidFire880X-1TB
Capacity	4TB	2TB	1TB
Interface	Gen 4.0 x 4	Gen 4.0 x 4	Gen 4.0 x 4
Form Factor	M.2 2280	M.2 2280	M.2 2280
Read Speed	7400Mbps	7400Mbps	7400Mbps
Write Speed	6600Mbps	6600Mbps	6600Mbps

PCI EXPRESS 3.0 x4



PID	WS-Thunderdrive 02	WS-Thunderdrive 01	WS-Thunderdrive 512	WS-Thunderdrive 256
Capacity	2TB	1TB	512G	256G
Interface	Gen 3.0 x 4	Gen 3.0 x 4	Gen 3.0 x 4	Gen 3.0 x 4
Form Factor	M.2 2280	M.2 2280	M.2 2280	M.2 2280
Read Speed	3300Mbps	3000Mbps	3000Mbps	3000Mbps
Write Speed	3000Mbps	2700Mbps	1300Mbps	1300Mbps

Portable Solid State Storage

PID: WS-PS512G1

Support USB-C 20Gbps Host Port
Max Read: 2000MB/s and Write: 1900MB/s
3D Nand Flash, Memory Capacity: ≤ 512GB
Support OTG




MagSafe Snap-On SSD Enclosure for iPhone 15 Pro

PID: WS-ST349

MagSafe design perfectly matches iPhone's MagneTi back
1x USB-C for connection with iphone and external SSD
1x USB-C PD IN supports PD charging for iPhone
Fit 2280 SSD, max 10Gbps, support SATA/NVME protocol



Thunderbolt™ 5**Tool Free NVMe SSD Enclosure****Based on Intel Thunderbolt 5 solution / SSD Enclosure / Driverless, Plug & Play****PID: WS-UTE50**

1x Thunderbolt 5 Port to Host
 1x NVMe SSD Enclosure
 (PCIe 4.0x4, 2280 SSD)
 Over 6000MB/s sequential read/write speed

**USB4 40Gps SSD Enclosure****USB4 40Gbps to NVMe SSD Enclosure (Tool Free)****PID: WS-ST402C**

USB4 to Single NVMe SSD Enclosure
 with Built-in Cooling Fan

Note: More details, please refer to catalog page 07

**Thunderbolt™ 3 SSD Enclosure****M.2 NVMe Single SSD Enclosure****Certified by Intel / World's First Thunderbolt™ 3 to NVMe SSD Enclosure****PID: WS-UTE01, WS-UTE02**

Thunderbolt 3 to Single NVMe SSD Enclosure
 with Thunderbolt 3 cable

Note: More details, please refer to catalog page 14

**USB-C Dual SSD Enclosure****M.2 SATA & NVMe Dual Protocol (Tool Free)****PID: WS-ST420**

USB-C Port Support Data Transfer Up to 40Gbps
 Dual Bay M.2 PCIe 4.0 SSD Enclosure
 Support 2230/2242/2260/2280 Size SSD
 Built-in Heat-Conducting Silicone
 Support OTG, Off On Line Clone

**PID: WS-ST348, WS-ST347**

Up to 20Gbps(ST348)/10Gbps(ST347) data transfer
 Dual Bay M.2 SSD Enclosure
 One Bay supports M.2 SATA III 6G or PCIe 3.0x4 Nvme
 One Bay supports M.2 PCIe 3.0x4 Nvme
 Support 2230/2242/2260/2280 Size SSD
 Built-in Heat-Conducting Silicone
 Support OTG, Off On Line Clone



(WS-ST348 supports M.2 SATA/ACHI)
 (WS-ST347 supports M.2 SATA and NVMe)

USB-C Single SSD Enclosure

M.2 SATA or NVMe Dual Protocol



PID	WS-ST340C	WS-ST338C	WS-ST238C	WS-ST237C	WS-ST236C
Interface	M.2	M.2	M.2	M.2	M.2
USB-C	10G	10G	10G	10G	10G
NVMe Protocol	√	√	√	—	—
SATA Protocol	√	—	—	√	√
SSD Size	2230 / 2242 / 2260 / 2280				2230 / 2242
OTG	√	√	√	√	√

SATA HDD/SSD Enclosure

USB-C 10Gbps, USB-B 5Gbps



PID	WS-ST235C1	WS-ST239C	WS-ST235C	WS-ST235	WS-ST239
Interface	SATA III	SATA III	SATA III	SATA III	SATA III
USB	10G	10G	5G	5G	5G
HDD/SSD	√	√	√	√	√
Form Factor	2.5"	2.5"	2.5"	2.5"	2.5"
OTG	√	√	√	√	√

SATA HDD/SSD Adapter

USB-C or USB-C to SATA III 6G



PID	WS-ST345A	WS-ST345AP	WS-ST345C	WS-ST345CP
Interface	SATA III	SATA III	SATA III	SATA III
USB to Host	USB-A, 5G	USB-A, 5G	USB-C, 5G	USB-C, 5G
HDD/SSD	√	√	√	√
SSD Size	2.5"	2.5"	2.5"	2.5"
OTG	√	√	√	√
Power Adapter	—	DC 12V/2A	—	DC 12V/2A

HDD/SSD Storage Dock

5Gbps and Dual Bay



PID	WS-ST334UA	WS-ST341U	WS-ST336A
Interface	SATA III	SATA III	SATA III
USB to Host	USB-B, 5G	USB-B, 5G	USB-B, 5G
HDD/SSD	√	√	√
SSD Size	2.5" & 3.5"	2.5" & 3.5"	2.5" & 3.5"
SD/Micro SD	—	—	3.0
USB-A	—	—	2x 5G, 2x 7.5W
Power Adapter	DC 12V/3A	DC 12V/3A	DC 12V/4A

HDD/SSD Storage Dock

5Gbps and Single Bay



PID	WS-ST33UA	WS-ST335A	WS-ST331A
Interface	SATA III	SATA III	SATA III
USB to Host	USB-C, 5G	USB-B, 5G	USB-B, 5G
HDD/SSD	√	√	√
SSD Size	2.5" & 3.5"	2.5" & 3.5"	2.5" & 3.5"
SD/Micro SD	—	3.0	3.0
USB-A	—	2x 5G	2x 5G
Power Adapter	DC 12V/3A	DC 12V/3A	DC 12V/3A



PD 3.1 GaN Charger

240W/200W/140W Wall Charger, Desktop Charger



PID	WS-G1402	WS-G1402D	WS-G2003D	WS-G2403D
Charger Type	Wall Charger	Desktop Charger	Desktop Charger	Desktop Charger
PD Version	PD3.1	PD3.1	PD3.1	PD3.1
USB Ports	2C1A	2C1A	3C1A	3C1A
Single Port(Max)	140W	140W	200W	240W
Multi Port(Max)	100W+12W+12W	100W+12W+ 12W	100W+65W+12W+12W	140W+65W+12W+12W

Note:

* The GaN Power Adapter above are foldable US plug, interchangeable EU/UK/AU are optional

PD 3.0 GaN Charger

130W/100W Wall Charger, Desktop Charger

PID: WS-G1001, WS-G1001D

100W 1C1A GaN Charger
Single Port: 100W
Multi Port: 65W + 30W

**PID: WS-G1301, WS-G1301D**

130W 3C1A GaN Charger
Single Port: 100W
Multi Port: 65W + 30W

PID: WS-G1002, WS-G1002D

100W 2C2A GaN Charger
Single Port: 100W
Multi Port: 38W + 30W+20W + 12W

**PID: WS-G1302, WS-G1302D**

130W 3C1A GaN Charger
Single Port: 100W
Multi Port: 65W + 30W+20W + 12W

WS-G1003, WS-G1003D

100W 3C1A GaN Charger
Single Port: 100W
Multi Port: 45W + 30W+12W + 12W

**PID: WS-G1303, WS-G1303D**

130W 3C1A GaN Charger
Single Port: 100W
Multi Port: 65W + 30W+12W + 12W

Note:

* The GaN Power Adapter above are foldable US plug, interchangeable EU/UK/AU are optional.

PD 3.0 GaN Charger


65W/30W Wall Charger

PID: WS-G6503 65W 2C1A GaN Charger Single Port: 65W Foldable US plug	PID: WS-G6502 65W 1C GaN Charger Single Port: 65W Foldable US plug	PID: WS-G6502FA 65W 1C1A GaN Charger Single Port: 65W Multi Port: 12W + 12W Fixed US or UK plug	PID: WS-G6502FC 65W 1C GaN Charger Single Port: 65W Foldable US plug
			
PID: WS-G6505 65W 2C1A GaN Charger Single Port: 65W Multi Port: 30W + 12W + 12W Foldable EU or US plug Fixed UK or AU plug		PID: WS-G3002 30W 1C GaN Charger Single Port: 30W Foldable US plug	

Note:
* For WS-G6502 and WS-G3002, interchangeable EU/UK/AU are optional.

PD 3.0 GaN Power Adapter

100V/130W

PID: WS-G1004C, WS-G1304C USB-C PD 100W GaN Power Adapter USB-C PD 130W GaN Power Adapter	PID: WS-WS-G1005C, WS-G1305C USB-C PD 100W GaN Power Adapter USB-C PD 130W GaN Power Adapter
	
PID: WS-G1004D, WS-G1304D DC 100W GaN Power Adapter DC 130W GaN Power Adapter	PID: WS-G1005D, WS-G1305D USB-C PD 100W GaN Power Adapter USB-C PD 130W GaN Power Adapter

PD 3.0 Power Adapter

112W/77W, with 1x USB-A Charging Port

PID: WS-P1101

USB-C PD 3.0 112W (100W+ 12W) Power Adapter
USB-C PD 100W to Host
USB-A 12W to USB device

**PID: WS-P701**

USB-C PD 3.0 77W (65W+ 12W) Power Adapter
USB-C PD 65W to Host
USB-A 12W to USB device



Desktop DC Power Adapter

360W/230W/180W/160W/130W/100W

PID: WS-P3601D

360W 20V18A AC/DC
Desktop Power Adapter

**PID: WS-C2301**

230W 20V11.5A AC/DC
Desktop Power Adapter

**PID: WS-C1801**

180W 20V9A AC/DC
Desktop Power Adapter

**PID: WS-C1601**

160W 20V8A AC/DC
Desktop Power Adapter

**PID: WS-P1301**

130W 20V6.5A AC/DC
Desktop Power Adapter

**PID: WS-C1001**

100W 20V5A AC/DC
Desktop Power Adapter



Qi1 15W Wireless Charger

Stand Charger, Car Charger

Qi 1

15W

Magnetic Design

Foreign Object Detection (FOD)

Over Temperature Protection(OTP)

Over Current Protection (OCP)

Under Current Protection (UCP)

PID: WS-CW101
Magnetic 15W wireless charger
5W/7.5W/10W/15W Charging
Support Apple & Android Mobile Phone
Ergonomic stand with adjustable height
WPC-Qi V1.2.4 compatible
QC2.0/3.0 & PD2.0/3.0 supported
Support FOD, OCP, OTP and UCP



PID: WS-CW104
Magnetic 15W wireless car charger
5W/7.5W/10W/15W Charging
Support Apple & Android Mobile Phone
WPC-Qi V1.2.4 compatible
QC2.0/3.0 & PD2.0/3.0 supported
Support FOD, OCP, OTP and UCP



Qi1 15W Wireless Charger

More items for you to choose

PID: WS-CW301
3-IN-1 15W Wireless Charger
For Phone, Apple Watch, Air Pod



PID: WS-CW002
3-IN-1 15W Wireless Charger
For Phone, Apple Watch, Air Pod



PID: WS-CW006
15W Single Wireless Charger
For Phone



Qi2 15W Wireless Charger

Pad Charger

Qi2 ⚡ 15W

 Magnetic Design

 Foreign Object Detection (FOD)

 Over Temperature Protection (OTP)

 Over Current Protection (OCP)

 Under Current Protection (UCP)
PID: WS-CW105

15W Single wireless charger
5W/7.5W/10W/15W Charging
Special designed for iPhone 15s
WPC Qi 2.0 compatible
QC2.0/3.0 & PD2.0/3.0 supported
Support FOD, OCP, OTP and UCP

**New!****PID: WS-CW106**

Magnetic 15W wireless
5W/7.5W/10W/15W Charging
Special designed for iPhone 15s
WPC Qi 2.0 compatible
QC2.0/3.0 & PD2.0/3.0 supported
Support FOD, OCP, OTP and UCP

**New!**

Qi2 ⚡ 15W

 Magnetic Design

 Foreign Object Detection (FOD)

 Over Temperature Protection (OTP)

 Over Current Protection (OCP)

 Under Current Protection (UCP)
PID: WS-CW303

15W Single wireless charger
5W/7.5W/10W/15W Charging
Special designed for iPhone 15s
WPC Qi 2.0 compatible
QC2.0/3.0 & PD2.0/3.0 supported
Support FOD, OCP, OTP and UCP

**New!****PID: WS-CW302**

Magnetic 15W wireless
5W/7.5W/10W/15W Charging
Special designed for iPhone 15s
WPC Qi 2.0 compatible
QC2.0/3.0 & PD2.0/3.0 supported
Support FOD, OCP, OTP and UCP

**New!**

Qi2 15W Wireless Charger

Pad Charger

New!

Qi2 15W

Magnetic Design

Foreign Object Detection (FOD)

Over Temperature Protection(OTP)

Over Current Protection (OCP)

Under Current Protection (UCP)

PID: WS-CW601

15W Single wireless charger
5W/7.5W/10W/15W Charging
Special designed for iPhone 15s
WPC Qi 2.0 compatible
QC2.0/3.0 & PD2.0/3.0 supported
Support FOD, OCP, OTP and UCP



Special Purpose Power Adapter

450W, 280W Intelligent Battery Charger



450W



Input Voltage:	100-240V 6A 50-60Hz
Protection:	Short circuit protection/OTP Reverse polarity Protection
Led indicate charging status	
Size:	304x114x55mm(L*W*H)
Battery type:	LiFePO4/ lithium battery/ Lead acid battery

280W



Rated Output Voltage(Vdc)	Rated Output Current(A)	Rated Output Power(W Max.)	LCD Indication
6V	10A/20A	225W	Yes
12V	10A/20A/35A	450W	Yes
24V	10A/20A	450W	Yes



In-house design and manufacturing
in a class of our own

Looking for Distributors

Shenzhen Headquarter

17th-20th Floor, Building 3C, Huaqiang Idea Park
Guangming District, Shenzhen, China

Hong Kong Office

Room 11,10/F, KoWSoon Bay Industrial Center, 15 Wang Hoi Road,
KowSoon Bay, Hong Kong, China

Vietnam Factory

Factory E1, Lot CN4-1, Yen Phong II-C Industrial Zone, Tam Giang Commune, Yen
Phong District, Bac Ninh Province, Vietnam

Shenzhen Factory

Building 4, Dataisong industrial Park, Dalang Street,
Longhua District, Shenzhen, China

Jiangxi Factory

Zone 6, liantou Holding Industrial Park, Longnan Economic and Technological
Development Zone, Longnan City, Jiangxi Province, China

Tel: (86)755 8882 3721

Fax: (86)755 8302 2207

Email: wavlink@wavlink.com



E-catalog Download



www.winstars.com